Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



PRINCETON NURSERIES

2,57

PRINCETON, NEW JERSEY

Wholesale Price List

FALL 1925

WM. FLEMER'S SONS
Proprietors also of the
F. & F. NURSERIES
Springfield, N. J.

Princeton, N. J. September 1, 1925

Dear Friends:

This is our eleventh fall price list, and gives everything we have in salable sizes in our four hundred acre nursery. It is all material of our own growing, and is of the best quality. In fact, "The Standard of Excellence in Ornamentals."

Prices are generally going to be higher but, feeling that they were high enough, or too high in most items, except shade trees, which require so much hand labor, we have either made the same price as last spring or lowered it. There are only a very few items that are higher, and the general average is lower.

In this list, we have embodied a new feature which is stating the approximate size the plant reaches at maturity, following the botanical name; and a short description emphasizing the chief qualities or characteristics of the plant. This, we think, will be a big help in placing orders, and the list can be used as a handy, pocket reference book.

We would like to fill your wants again, and invite you to come and visit us at any time. If you are too far away to drive by auto, come by the Pennsylvania Railroad, and we will meet you at the station.

Thanking those of you who have placed orders with us in the past, and hoping that we may fill your future wants.

Yours sincerely,

PRINCETON NURSERIES,

WILLIAM FLEMER, Jr., Manager.



Office and grounds, Princeton Nurseries.

Members: American Association of Nurserymen.

Eastern Nurserymen's Association.

New Jersey Nurserymen's Association.


Quotations, prices, contracts and grading are based on HORTICULTURAL STANDARDS adopted by the American Association of Nurserymen June 1923.

PRICES

Prices are as low as is consistent with the market, taking into consideration that the stock offered is of the best quality, carefully grown, with ample room for full development. Princeton grown stock must not be compared with poorly grown plants often offered. Prices are for Fall 1925.

CREDIT

To established nurserymen known to us, a credit of 60 days from date of invoice will be allowed. Cash before shipment is required from parties unknown to us and in these cases one-half the regular charge is made for boxes or bales.



Packing house and storage cellar, Princeton Nurseries. They are on our own siding which insures the minimum of exposure when loading and facilitates rapid shipment. We specialize in carload orders for which no charge is made for packing.

LIABILITY AND CLAIMS

We are not liable for injury to stock from frost, hail, fire, or other causes beyond our control, and book all orders with this understanding. Errors made by us will be gladly corrected, but complaints must be made within a reasonable time after receipt of stock.

Plants become your property upon delivery to transportation company, and we cannot be responsible for loss, damage, or delay in transit.

After the botanical name, in the following pages, we have embodied a new feature of giving the approximate height the plant attains at maturity; and a short description, giving the chief quality or characteristic of the plant, feeling that it would be a help to you in making up your order.

Princeton Nurseries employ no agents.

All stock offered herein is grown on our own nurseries under our own direct supervision.

PACKING

Bales and Boxes charged at cost. No packing charge is made for stock packed in full carlots. Boxes are made in the following sizes:

31 in. x 36 in.—10 ft. long	\$5.25
28 in. x 32 in.—10 ft. long	4.75
23 in. x 28 in.—10 ft. long	4.25
19 in. x 24 in.—10 ft. long	3.75
17 in. x 20 in.—10 ft. long.	3.25
15 in. x 16 in.—10 ft. long	2.75
12 in. x 15 in.—10 ft. long	2.00

Add 50 cents for each additional 2 feet of length.

Decreases are in the same proportion, 50 cents for each 2 feet.

DECIDUOUS TREES

NOTE: The figures in italics, following each variety, indicate in feet the approximate height of that variety when mature. It must be understood, however, that many varieties in their native habitat greatly exceed this height, but soil and climatic conditions

habitat greatly exceed this height, but so modify their growth and character to allowance for this has been made in the	a var	iable ext	ent, and
	Each	Per 10	Per 100
ACER campestre 25'-30' Useful for dry locations in undergrows slowly.		HEDGE I	MAPLE
3 to 4 ft	\$1.00 1.25 1.50		
- dasycarpum 60'-80'		SILVER :	MAPLE
Quick growing, graceful shade tree; l	eaves s	ilvery un	derneath.
8 to 10 ft	.90	\$7.50	
8 to 10 ft	1.10	9.50	
10 to 12 it.—1½ to 1¼ in	1.50	13.50	
10 to 12 ft.—134 to 2 in	$1.75 \\ 2.25$	16.00	
12 to 13 ft.—2 to 2½ in	2.75		
12 to 13 ft.—2 to 2½ in	3.50		
		C	M
— — pyramidale 30'-40' Pyr. A narrow form, useful for accent or		SILVER 1	MAPLE
6 to 8 ft	1.00		
	1.50		
8 to 10 ft 8 to 10 ft.—1½ to 1½ in 9 to 10 ft.—1½ to 2 in	2.00		
9 to 10 ft.— $1\frac{1}{2}$ to 2 in	2.50		
10 to 11 ft.—2 to $2\frac{1}{4}$ in 11 to 12 ft.— $2\frac{1}{4}$ to $2\frac{1}{2}$ in	3.00		
11 to 12 ft.—2½ to 2½ in	3.50		
		CUTLEAF !	MAPLE
Graceful, drooping form; very desir			
8 to 10 ft	1.25	11.00	
8 to 10 ft.—1½ to 1½ in	1.50	13.50	
10 to 12 it.—1½ to 1¼ in	$\frac{2.00}{2.50}$	18.50 23.50	
12 to 13 ft.—2 to 2½ in	3.50	20.00	
10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1½ to 2 in 12 to 13 ft.—2 to 2¼ in 12 to 13 ft.—2½ to 2½ in	4.50		
— negundo 60'		Roy	ELDER
Will grow where other trees fail;	especia		
barren places and seashore.	1		, ,
8 to 10 ft	.80		
8 to 10 ft.—1¼ to 1½ m	1.00	9.00	
10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in 12 to 13 ft.—2 to 2¼ in	1.35	12.50	
10 to 12 it.—1% to 2 in	$\frac{1.75}{2.50}$		
12 to 13 ft.—2 to 2/4 in	$\frac{2.30}{2.75}$		
		Smornen 1	Minra
— pennsylvanicum (striatum), 20'-30' Green bark striped with white; thr		STRIPED I	
3 to 4 ft	.75	WCC 50715.	
4 to 6 ft	1.00		
— platanoides 50'-75'	1	JORWAY .	MAPLE
The most popular street tree; retain late autumn.			
8 to 10 ft.—1½ to 1½ in	2.50		
10 to 12 ft.—1½ to 1¾ in	2.75		
10 to 12 ft.—1½ to 2 in	3.50		
12 to 13 ft.— 2 to 2¼ in	4.25		
12 to 13 ft.—2½ to 2½ in 12 to 14 ft.—2½ to 3 in	5.00		
12 to 14 It.—272 to 3 III	6.00		



Lombardy Poplars, the type grown at Princeton. Note how evenly branched from the ground up. See page 12.

ACER—continued	Each	Per 10	Per 100
			IAPLE
8 to 10 ft.—1¼ to 1½ in 10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in 12 to 13 ft.—2 to 2¼ in	3.75 4.50 5.00		
— pseudoplatanus 40′-60′	Sy	CAMORE 1	IAPLE
For seashore planting. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 10 to 12 ft.—1¾ to 2 in. 12 to 13 ft.—2 to 2¼ in. 12 to 13 ft.—2¼ to ½½ in. 12 to 14 ft.—2½ to 3 in.	1.75 2.25 2.50 3.25 4.00 4.50	\$21.00 23.50 31.00	
- rubrum, 50'-75' R Best in moist locations; also thrive autumn coloring.		SCARLET Name Scarles S	
6 to 8 ft	1.50 2.00 2.25 2.75		
— saccharum 50'-75'	1	SUGAR N	
Most popular in northern states; k 8 to 10 ft. 8 to 10 ft.—1¼ to 1½ in 10 to 12 ft.—1½ to 1¾ to 1¼ in 10 to 12 ft.—1¾ to 2 in 12 to 13 ft.—2 to 2¼ in	1.50 2.00 2.50 3.00 3.50	14.00 19.00	oring.
AESCULUS hippocastanum, 40'-60'		Horseche	
Rather slow growth; most attracti 4 to 6 ft 6 to 8 ft 8 to 10 ft	ve wher 1.25 1.75 2.25	ın flowe	r—June.
AILANTHUS glandulosa, 50'-60'		REE OF H	EAVEN
Succeeds under most adverse city of to 6 ft	onditio .75 1.00	6.00 8.50	\$50.00 75.00

1.25

11.00

100.00

8 to 10 ft.....

Each Per 10 Per 100 AMYGDALUS persica (PRUNUS), 8'-10' PINK, RED AND WHITE FLG. PEACH Very decorative double flowering form; blooms before leaves. \$3.50 3 to 4 ft..... .55 4.50 .65 5.50 .75 ANDROMEDA (See Shrubs) ARALIA (See Shrubs) BETULA alba 30'-50' EUROPEAN WHITE BIRCH Known by its white bark. .85 4 to 5 ft..... 7.50 1.00 5 to 6 ft...... 9.00 6 to 8 ft..... 1.25 — laciniata, 30'-40' CUTLEAF WEEPING BIRCH Graceful tree for lawn planting. 3 to 4 ft..... 1.25 11.00 4 to 5 ft...... 1.75 16.00 5 to 6 ft...... 2.00 18.50 6 to 8 ft..... 2.25 – purpurea, 30′–40′ PURPLELEAF WHITE BIRCH A desirable purple sort. 3 to 4 ft..... 1.00 - pyramidalis, 30'-40' Pyramidal White Birch Dense and columnar. 3 to 4 ft..... 1.00 – youngi, *20'–30'* Youngs Weeping Birch A dwarf, spreading, pendulous tree; unique form. 3 to 4 ft..... 1.00 — lenta, 40'-60' SWEET BIRCH Has attractive, smooth, reddish bark, and conspicuous catkins in spring. 3 to 4 ft....... .655.00 .90 4 to 6 ft..... 7.50 1.15 6 to 8 ft..... 10.00 8 to 10 ft..... 1.75 - lutea 50'-70' YELLOW BIRCH Makes fine windbreak. .65 5.00 4 to 6 ft..... .90 7.50 6 to 8 ft..... 1.15 10.00 8 to 10 ft..... 1.75 nigra 50'-60' RIVER BIRCH Thrives in moist places; its torn, ragged bark is quite unique. 4 to 6 ft..... 1.00 8.00 6 to 8 ft..... 1.15 11.00 - papyrifera, 40'-50' Paper or Canoe Birch Picturesque paper bark, very white when older. 4 to 6 ft..... .958.00 6 to 8 ft..... 1.15 10.00 90.00 8 to 10 ft..... 1.50 14.00 populifolia, 30'-40' GRAY BIRCH Will grow in poor soil and dry places. Commonly found native in New Jersey. 4 to 6 ft...... .90 6 to 8 ft..... 1.15 CARPINUS betulus 20'-30' EUROPEAN HORNBEAM Good for massing, or a hedge, because of its dense growth. Beech-like foliage.

3 to 4 ft......

4 to 5 ft.....

5 to 6 ft.....

.65

.80

.95

5.00

6.50

8.00



Oriental Planes, the finest that can be grown. Note straight stems and well-shaped heads. See page 12.

CARPINUS—continued

Each Per 10 Per 100

CART IN US—continueu	Laci	1 61 10	1 61 100
— caroliniana 30'–40'		AN HOR	NBEAM
Closely resembles the Beech in app			
2 to 3 ft	\$.45	\$3.50	
3 to 4 ft	.55	4.50	
4 to 5 ft	.65		
CATALPA bungei 10'-15' Useful in formal planting.	Uмвк	ELLA CA	TALPA
Light Heads, 1 yr., 5 to 6 ft., 1 in.	1.00	8.50	
Med. Heads, 1 yr., 5 to 6 ft., 11/4			
in	1.15	11.00	
First Class Heads, 2 yr., 5 to 6 ft.,			
1½ in Extra Large Heads, 2 yr., 5 to	1.50	13.50	
Extra Large Heads, 2 yr., 5 to			
6 ft., $1\frac{3}{4}$ in	1.75	16.00	
— speciosa, 30'-35'	Wes	TERN CA	TALPA
4 to 6 ft	.50	4.00	
6 to 8 ft	.60	5.00	
CEDRELA sinensis, 30'-40'	Сн	INESE C	EDRELA
Gives a tropical looking effect; c	lusters o	f white	flowers.
Will thrive under city conditions.			
2 to 3 ft	.50		
3 to 4 ft	.75		
CELTIS occidentalis, 50'-60'		HACK	BERRY
Similar foliage and habit as Elm.			
3 to 4 ft	.30		
4 to 5 ft	.40		
5 to 6 ft	.50		
CEPHALANTHUS (See Shrubs)			
CERASUS (See Prunus)			
CERCIDIPHYLLUM japonicum, 60'-80)']	Katsura	TREE
Develops into a magnificent, syr	nmetrica	l tree;	beautiful
spring and autumn colors.			
3 to 4 ft	.75	6.50	
4 to 6 ft	1.00		
CERCIS (See Shrubs)			
CLADRASTIS lutea (tinctoria) 30'-40'	7	YELLOW-	Wood
A striking tree with long panicles of	f fragran	t white f	lowers in
June.			
4 to 5 ft	1.25		
5 to 6 ft	1.50		

		Fach	Per 10 Per 1	ሰሰ
CORNUS florida 15'-25' Among the best of the spri	WHITE F	LOWE	RING DOGWOOD	00
3 to 4 ft	ng nowern	11g Sillia 50	an trees.	
4 to 5 ft		.70		
5 to 6 ft		1.00		
— rubra, 15'-20'	RED F	LOWE	RING DOGWOOD	
The pink flowers are more				
18 to 24 in		1.00		
2 to 2½ ft		1.25		
2½ to 3 ft		1.50		
3 to 4 ft		1.75		
CRATAEGUS coccinea 15'-20'		Тнісь	ET HAWTHORN	
Large scarlet fruits in autu		0.5	65.00	
2 to 3 ft		.65	\$5.00	
3 to 4 ft		.75 .90	6.00 - 7.50	
4 to 5 ft				
— cordata, 12'-15'			ON HAWTHORN	
Berries are small, brilliant brilliant autumn foliage.	rea, ana p	ersist	nearly all winte	er;
2 to 3 ft		.65	5.00	
3 to 4 ft		.75	6.00	
4 to 5 ft		.90	7.50	
— crusgalli, 15'		Co	CKSPUR THORN	
Deep green, shiny leaves	make this			e:
white flowers are also cons				-,
2 to 3 ft		.65	5.00	
3 to 4 ft		.75	6.00	
4 to 5 ft		.90	7.50	
5 to 6 ft		1.00		
— oxycantha, 12'-15'		Engli	SH HAWTHORN	
18 to 24 in		60	4.00	
2 to 3 ft			5.00	
— Pauls scarlet, 12'-15'			LET HAWTHORN	
3 to 4 ft		1.25		
4 to 5 ft		1.50		
5 to 6 ft		$\frac{1.50}{2.00}$		
5 to 6 ft				
5 to 6 ft			Persimmon	
5 to 6 ft		2.00		
5 to 6 ft	9	.65	5.00	
5 to 6 ft	9	2.00		
5 to 6 ft		.65 .75	5.00 6.00	
5 to 6 ft		2.00 .65 .75	5.00 6.00 IERICAN BEECH	
5 to 6 ft	, 75′–100′	.65 .75 An	5.00 6.00 ierican Beech ver-gray bark.	
5 to 6 ft	, 75′–100′ ; distincti	.65 .75 Axive silv	5.00 6.00 IERICAN BEECH ver-gray bark. 8.00	
5 to 6 ft	, 75′–100′ s; distincti	.65 .75 Axive silv .95 1.30	5.00 6.00 IERICAN BEECH ver-gray bark. 8.00 11.50	
5 to 6 ft	, 75′–100′ s; distincti	.65 .75 Axive silv .95 1.30 1.65	5.00 6.00 IERICAN BEECH ver-gray bark. 8.00 11.50 15.00	
5 to 6 ft	, 75'–100' ; distincti	2.00 .65 .75 Anive silv .95 1.30 1.65	5.00 6.00 HERICAN BEECH Ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECH	
5 to 6 ft CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft 4 to 5 ft EUONYMUS (See Shrubs) FAGUS americana (ferruginea) One of our best native trees 2 to 3 ft 3 to 4 ft 4 to 5 ft — sylvatica, 75'-100' Slow growing, but makes a	, 75'–100' s; distincti	2.00 .65 .75 Antive silv95 1.30 1.65 . Eurodsome	5.00 6.00 HERICAN BEECH Ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECH	
5 to 6 ft CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft 4 to 5 ft EUONYMUS (See Shrubs) FAGUS americana (ferruginea) One of our best native trees 2 to 3 ft 3 to 4 ft 4 to 5 ft — sylvatica, 75'-100' Slow growing, but makes a 2 to 3 ft	, 75′–100′ s; distincti	.65 .75 Antive silv95 1.30 1.65 • Euradsome 1.00	5.00 6.00 HERICAN BEECH Ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECH	
5 to 6 ft CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft 4 to 5 ft EUONYMUS (See Shrubs) FAGUS americana (ferruginea) One of our best native trees 2 to 3 ft 3 to 4 ft 4 to 5 ft — sylvatica, 75'-100' Slow growing, but makes a 2 to 3 ft 3 to 4 ft 4 to 5 ft	, 75'–100' ;; distincti	2.00 .65 .75 Antive silv95 1.30 1.65 -Eundsome 1.00 1.25	5.00 6.00 HERICAN BEECH Ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECH et tree.	
5 to 6 ft CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft 4 to 5 ft EUONYMUS (See Shrubs) FAGUS americana (ferruginea) One of our best native trees 2 to 3 ft 3 to 4 ft 4 to 5 ft — sylvatica, 75'-100' Slow growing, but makes a 2 to 3 ft 3 to 4 ft — to 3 ft 3 to 4 ft — riversi, 60'-80'	, 75'–100' ;; distincti	2.00 .65 .75 Antive silv95 1.30 1.65 -Eundsome 1.00 1.25	5.00 6.00 HERICAN BEECH Ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECH	
5 to 6 ft CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft 4 to 5 ft EUONYMUS (See Shrubs) FAGUS americana (ferruginea) One of our best native trees 2 to 3 ft 3 to 4 ft 4 to 5 ft — sylvatica, 75'-100' Slow growing, but makes a 2 to 3 ft 3 to 4 ft — riversi, 60'-80' Large, deep purple leaves.	, 75'-100' ;; distincti large, han	2.00 .65 .75 Antive silv95 1.30 1.65 -Eundsome 1.00 1.25	5.00 6.00 HERICAN BEECH Ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECH et tree.	
5 to 6 ft CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft 4 to 5 ft EUONYMUS (See Shrubs) FAGUS americana (ferruginea) One of our best native trees 2 to 3 ft 3 to 4 ft 4 to 5 ft — sylvatica, 75'-100' Slow growing, but makes a 2 to 3 ft 3 to 4 ft — to 3 ft 3 to 4 ft — riversi, 60'-80'	, 75'-100' s; distincti large, han	2.00 .65 .75 Antive silv95 1.30 1.65 Euro d.come 1.00 1.25 VERS	5.00 6.00 HERICAN BEECH Ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECH et tree.	
5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea) One of our best native trees 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a 2 to 3 ft. 3 to 4 ft. — riversi, 60'-80' Large, deep purple leaves. 4 to 5 ft.	, 75'-100' s; distincti large, han	2.00 .65 .75 Avive silv95 1.30 1.65 . Eurodsome 1.00 1.25 VERS 1	5.00 6.00 HERICAN BEECH Ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECH et tree.	
5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea) One of our best native trees 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a 2 to 3 ft. 3 to 4 ft. — riversi, 60'-80' Large, deep purple leaves. 4 to 5 ft. 5 to 6 ft.	, 75'–100' s; distincti large, han	2.00 .65 .75 Amive silvings 1.30 1.65 .Eurindsome 1.00 1.25 VERS 3.00 4.50	5.00 6.00 HERICAN BEECH ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECH e tree.	n;
5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea) One of our best native trees 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a 2 to 3 ft. 3 to 4 ft. — riversi, 60'-80' Large, deep purple leaves. 4 to 5 ft. FRAXINUS americana, 70'-80' Fairly rapid grower; assume good in moist soils.	, 75'–100' s; distincti large, han Rr	2.00 .65 .75 Avive silve .95 1.30 1.65 ·Euridsome 1.00 1.25 VERS 1 3.00 4.50 golder	5.00 6.00 EERICAN BEECH Ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECH Tree. PURPLE BEECH WHITE ASH Tones in autumn	n;
5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea) One of our best native trees 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — riversi, 60'-80' Large, deep purple leaves. 4 to 5 ft. 5 to 6 ft. FRAXINUS americana, 70'-80' Fairly rapid grower; assume good in moist soils. 8 to 10 ft.—1½ to 1½ in	large, han	2.00 .65 .75 Average ive silve sil	5.00 6.00 HERICAN BEECH VET-gray bark. 8.00 11.50 15.00 ROPEAN BEECH THERE VETER BEECH WHITE ASH HODOS in autumn 9.00	n;
5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea) One of our best native trees 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — riversi, 60'-80' Large, deep purple leaves. 4 to 5 ft. 5 to 6 ft. FRAXINUS americana, 70'-80' Fairly rapid grower; assume good in moist soils. 8 to 10 ft.—1½ to 1½ in	large, han	2.00 .65 .75 Amive silv95 1.30 1.65 .Eundsome 1.00 1.25 VERS 1 3.00 4.50 golder 1.00 1.25	5.00 6.00 HERICAN BEECH Ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECH VERPLE BEECH WHITE ASH at tones in autum 9.00 11.00	n;
5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea) One of our best native trees 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — riversi, 60'-80' Large, deep purple leaves. 4 to 5 ft. 5 to 6 ft. FRAXINUS americana, 70'-80' Fairly rapid grower; assume good in moist soils. 8 to 10 ft.—1½ to 1½ in	large, han	2.00 .65 .75 Amive silve.95 1.30 1.65 · Eundsome 1.00 1.25 1.00 1.25 1.65	5.00 6.00 EERICAN BEECH Ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECH PURPLE BEECH WHITE ASH a tones in autum 9.00 11.00 15.00	n;
5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea) One of our best native trees 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a 2 to 3 ft. 3 to 4 ft. — riversi, 60'-80' Large, deep purple leaves. 4 to 5 ft. FRAXINUS americana, 70'-80' Fairly rapid grower; assume good in moist soils.	large, han	2.00 .65 .75 Amive silv95 1.30 1.65 .Eundsome 1.00 1.25 VERS 1 3.00 4.50 golder 1.00 1.25	5.00 6.00 HERICAN BEECH Ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECH VERPLE BEECH WHITE ASH at tones in autum 9.00 11.00	n;

10 THINCETON NOR	SHILLS	,	
1	Each	Per 10	Per 100
GINKGO biloba (Salisburia), 50'-75'	M_{A}	IDENHAIF	
Picturesque, interesting, quite di	stinct; l	eaves sha	aped like
maidenhair fern; immune from ins		A10.00	
6 to 8 ft	\$1.15	\$10.00	
8 to 10 ft 8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.40	$12.50 \\ 15.00$	
10 to 12 ft.—1½ to 1¾ in	$\frac{1.65}{1.90}$	17.50	
GLEDITSIA triacanthos, $60'-70'$	1.90		
Thorny tree with fragrant white	flowers i	Honey:	
gravelly soil.		, in 1.12a	8004 101
ž to 3 ft	.25	20.00	
3 to 4 ft	.45	35.00	
4 to 5 ft	.65	50.00	
5 to 6 ft	.85	75.00	
GYMNOCLADUS dioica, 40'-50' K	ENTUCK	COFFEE	TREE
Light blue-green foliage of slow gro		cturesqu	e outline.
2 to 3 ft	.50		
3 to 4 ft	$\begin{array}{c} .75 \\ 1.00 \end{array}$		
	1.00		
HALESIA (See Shrubs) KOELREUTERIA paniculata, 25'–30'	Go	LDENRAIN	Топп
Has bright yellow flowers in July;			
ing tree.	15 & 7 & 14	aore sina	II IIO W CI
3 to 4 ft	.50	4.00	
4 to 5 ft	.75	6.00	
5 to 6 ft	1.00		
6 to 7 ft	1.25		
LABURNUM vulgare, 20'-25'		GOLDEN	ICHAIN
Beautiful clusters of yellow flowers 2 to 3 ft	35 in sprii	ıg.	
3 to 4 ft	.50		
	.75		
4 to 5 ft	E_{U}	ROPEAN	LARCH
Especially good for spring effects;	grows ra	pidly.	
18 to 24 in	.35	2.50	
2 to 3 ft	.50	4.00	
 leptolepsis, 60'-75' Fast growing, handsome tree, simil 	JA Janto ah	PANESE I	JARCH
18 to 24 in	.35	2.50	
2 to 3 ft	.50	4.00	
2 to 3 ftLIQUIDAMBAR styraciflua, 75'-100'			т Gum
One of the best trees for autumn of			
places; has corky bark; rather diff		transplan	t.
3 to 4 ft	.75		
4 to 5 ft	$\frac{1.25}{1.75}$		
5 to 6 ft LIRIODENDRON tulipifera, 60'-80'	1.70	Tmr	PTREE
A quick grower; the yellow tulip-	like flow		
in June.		•	
4 to 6 ft	.75	6.00	
6 to 8 ft	1.00		
8 to 10 ft	1.50		
10 to 12 ft	$\begin{array}{c} 1.75 \\ 2.00 \end{array}$		
12 to 14 ft		LLA MAG	NOLIA
Very large leaves; flowers white,		d pods a	
4 to 5 ft	1.00	1 - 4 - 4	1
5 to 6 ft	1.25		
6 to 8 ft	1.50	~	~
		SWEET	CRAB
Blush pink flowers in early spring.	F0	4.00	
2 to 3 ft	.50 .75	$\frac{4.00}{6.50}$	
4 to 5 ft	.15 .85	7.50	
5 to 6 ft	.95		



Pin Oaks at Princeton. We use every possible care to make our trees the best that can be produced. Pin Oaks are one of our specialties, and it is one of the best shade trees.

Each Per 10 Per 100

MALUS-continued

THE CO CONTINUES	200	1 101 10	1 01 100
— floribunda, 10'-15'	JAPANESE	FLOWERING	CRAB
Literally covered with rose-			y spring.
2 to 3 ft	\$.50		\$30.00
3 to 4 ft	7.	6.50	
4 to 5 ft		5 7.50	65.00
5 to 6 ft	9.	5	
— — atrosanguinea, 10'-15'		CARMINE	CRAB
Deeper flowering form of abo	ve.		
3 to 4 ft	7.	6.50	55.00
4 to 5 ft	8.	7.50	65.00
5 to 6 ft	1.00	0	
— halliana parkmani, 10′–15′		PARKMAN	CRAB
Semi-double pink; good, com	pact habit.		
2 to 3 ft		0.00	
3 to 4 ft	7.	5	
4 to 5 ft	1.00	0	
— ioensis plena, 10'-15'		Весите	CRAB
Large double pure pink flor	wers with	noticeable f	ragrance;
vigorous grower.			_
18 to 24 in		4.00	
2 to 2½ ft			
$2\frac{1}{2}$ to 3 ft			
3 to 4 ft			
4 to 4½ ft	1.00		
$4\frac{1}{2}$ to $\bar{5}$ ft	1.20	0 11.00	
— scheideckeri, 10'-15'	Se	CHEIDECKER	CRAB
Double pink; handsome flow			
2 to 3 ft			
3 to 4 ft			
4 to 5 ft	83	5	
		FLOWERING	
Beautiful pink or white flower	rs; sweet s	cented; do	ıble.
2 to 3 ft	50)	
3 to 4 ft			
MORUS alba pendula, 8'-10'	TEA'S WE	EPING MUI	BERRY
The most popular small "wee	ping" tree.		
Medium Grade, 1 yr. heads.	1.3	5 12.50	
First Class Heads, 2 yr. head			
Extra, 3 yr. heads	2.50	23.50	

PAULOWNIA tomentosa

(imperialis), 30'-40'

Each Per 10 Per 100 ROYAL PAULOWNIA 5 to 6 ft..... 1.00 6 to 8 ft..... 1.25 8 to 10 ft..... 1.75 PHELLODENDRON chinense, 50'-60' CHINESE CORKTREE A rapid growing, tropical appearing small tree. \$ 8.50 5 to 6 ft...... 1.00 11.00 6 to 8 ft...... 1.25

0 10 0 11	1.25	11.00	
A good tree for park and street u withstands smoky city conditions.		AN PLANE ws rather 11.00	
8 to 10 ft. 8 to 10 ft —1½ to 1½ in 10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in 12 to 13 ft.—2 to 2¼ in 12 to 13 ft.—2¼ to 2½ in	1.75 2.00 2.75 3.25 4.00	14.00 19.00 26.50	(
POPULUS alba, 60'-80'		WHITE H	OPLAR
Rapid grower, with rather attraction subject.	ve folia. .75		
8 to 10 ft	.90	7.50	
10 to 12 ft $-1\frac{1}{2}$ to $1\frac{3}{4}$ in	1.25	11.00	
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in 12 to 14 ft.—2 to $2\frac{1}{2}$ in	1.75	15.00	
— bolleana, 50'–60'	Re	LLEANA P	ODIAD
Leaves white underneath; similar Lombardy Poplar.		nar char	
4 to 6 ft	.60	5.00	
6 to 8 ft	.75	6.50	
8 to 10 ft.—1½ to 1½ in	1.00		
8 to 10 ft.—1½ to 1¾ in	1.25		
— monilifera, 75'-90' A rapid grower; succeeds even in shore.	CA dry pla	arolina P aces and n	OPLAR ear sea-
8 to 10 ft	.45	3.00	\$25.00
8 to 10 ft.—1½ to $1\frac{1}{2}$ in	.55	4.00	35.00
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in 12 to 14 ft.— $1\frac{3}{4}$ to 2 in	$.65 \\ .75$	6.00	50.00
— nigra italica, 60'-80'	Lo	MBARDY P	OPLAR
Tall spire-like character; valued screens.		•	
6 to 8 ft	.50	4.00	30.00
8 to 10 ft	.60 .80	$\frac{5.00}{7.00}$	$45.00 \\ 65.00$
10 to 12 ft.—1½ to 1½ m 11 to 12 ft —11½ to 13½ in	1.25	10.00	05.00
8 to 10 ft	1.50	10.00	
PRUNUS cerasifera pissardi, 12'-15' Valued chiefly because of purplish	Pul foliage:	RPLELEAF	PLUM
every year for best color effect.	ionage,	SHOULD DO	pruncu
2 to 3 ft	.50	4.00	
3 to 4 ft	.65	5.00	
4 to 5 ft	.85	7.50	
— sieboldi, 30'-40', B. and B. The best double Japanese flowering		тевого Сн	
3 to 4 ft	3.00		
4 to 5 ft	4.00		


11011(02101), 1.0.			
PRUNUS—continued	Each	Per 10	Per 100
		JAPAN C	
A most beautiful and graceful tree, on early spring.	overea	with pink	oiossoms
Pyramidal Form.	A1 ~~		
3 to 4 ft., B. and B	\$1.75		
4 to 5 ft., B. and B	$\frac{2.50}{3.00}$		
5 to 6 ft., B. and B	3.00		
Standard Form 3 to 4 ft. stems, 1 yr. heads	1.75		
4 to 5 ft. stems, 1 yr. heads	2.25		
· ·	2.20		_
PTELEA trifoliata, 10'-12'	11 11		TREE
Has clusters of fruit that look and		ke nops. \$2.50	
3 to 4 ft	.30 .40	3.50	
4 to 6 ft	.50	4.50	
6 to 8 ft	.50	1.00	
PYRUS (See MALUS)			
QUERCUS cerris, 60'-70'		TURKE	y Oak
Small-leaved, compact growing Oa	k.		
8 to 10 ft	1.50	14.00	
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	18.50	
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.50	23.50	
— coccinea, 75'-90'		SCARLE	T OAK
Most striking autumn colors; tall, leaves.	stately	grower, de	eeply cut
6 to 8 ft	1.65	15.00	
8 to 10 ft.—1½ to 1½ in	2.65	25.00	
8 to 10 ft.—1½ to 1½ in 8 to 10 ft.—1½ to 1¾ in	3.00		
— palustris, 75′–90′		$\mathbf{p}_{\mathbf{r}}$	n Oak
Takes most kindly to cultivation;	nrefers		
very adaptable. Particularly fitti			
autumn effects.	6		, B
8 to 10 ft	2.00	19.00	
8 to 10 ft.—1¼ to 1½ in 9 to 10 ft.—1½ to 1¾ in	2.50	23.50	\$225.00
9 to 10 ft.—1½ to 1¾ in	2.90	27.50	260.00
10 to 11 ft.— $1\frac{3}{4}$ to 2 in 11 to 12 ft.—2 to $2\frac{1}{4}$ in	3.50	33.50	325.00
11 to 12 ft.—2 to 2½ in	4.40	42.50	
12 to 13 ft.— $2\frac{1}{4}$ to $2\frac{1}{2}$ in	5.00		
— phellos, 60′-80′		WILLO	w Oak
Leaves long and entire, like the V	Willow;		
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.75		
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.00		
	2.00		_
- robur, 70'-80'		Englis	H UAK
The large Oak of England.	2.50	23.50	
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	28.50	
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in 10 to 12 ft.— $1\frac{3}{4}$ to 2 in	3.75	36.00	
	0.70		•
- rubra, 75′-90′		KE.	D OAK
Comparatively quick growth; rich and reds.			in greens
6 to 8 ft	1.65	15.00	
8 to 10 ft	2.15	20.00	
8 to 10 ft.—1¼ to 1½ in	2.40	22.50	
9 to 10 ft.—1½ to 1¾ in 9 to 11 ft.—1¾ to 2 in	2.90	27.50	
θ ω 11 it.—1% to % in	3.65	35.00	
10 to 12 ft.—2 to $2\frac{1}{4}$ in	$\frac{4.00}{4.50}$		
12 to 13 1t.—274 to 272 III	4.50		
ROBINIA pseudoacacia, 60'-80'		I	OCUST
Has fragrant white flowers in May			
6 to 8 ft	.60		



Three year Barberry thunbergi, 2 yr. transplanted. One of the largest and best blocks we ever grew. See page 18.

Each Per 10 Per 100

SALISBURIA adiantifolia (See GINKG	O)		
SALIX babylonica, 50'-60' BABY	LON WI		
Particularly appropriate for waters	side plar	nting with	its long
pendulus branches.	-		
4 to 6 ft	\$.50	\$4.00	\$35.00
6 to 8 ft	.75	6.00	
8 to 10 ft	.90		
— — aurea, 40'–50' Russian	GOLDEN	WPG. WI	LLOW
Has golden-yellow bark.			
4 to 5 ft	.50	4.00	
5 to 6 ft	.60	5.00	
6 to 8 ft.	.75	6.50	
salamoni, 60'-70' SALA	MON WI	EEPING WI	LLOW
6 to 8 ft	willows	,,	
4 to 6 ft	.50	4.00	
6 to 8 ft	.65	5.00	
8 to 10 ft	TOTAL WI	EDING WI	TIOW
Very hardy.	10111 111	SEI ING TO	LLOW
4 to 6 ft	.40	3.00	
6 to 8 ft		5.00	
— caprea (bush form), 15'–20'	.00	Pussy Wi	LLOW
Very desirable for spring effects. V	vill do n	i USSI Wi	oc well
as wet places.	viii do w	en on dry	as wen
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
	.35	3.00	25.00
4 to 5 ft			
Vigorous upright grower; best for s			LLOW
4 to 6 ft	.35	3.00	25.00
	.50	$\frac{3.00}{4.50}$	25.00
6 to 8 ft			
8 to 10 ft	.75	7.00	
10 to 12 ft	1.10	117-	
— incana (rosmarinifolia), 12'-15'		EMARY WI	LLOW
Good for fine texture in foliage effective		2.00	1 ~ 00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
— pentandra, 20'-30'		AUREL WI	
Shining rich dark green leaves make	this a	worthwhil	e back-
ground; valuable for seashore plant		2 - 2	20.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
6 to 8 ft	.50	4.00	
•			



Two year California Privet, cut back last winter, and with room enough in the row to permit proper development. This is real Privet at a moderate price for the quality. See page 26.

SALIX—continued	Each	Per 10	Per 100
— vitellina aurea, 25'-30' 3 to 4 ft	\$.30 35	\$2 50 \$2 50 3.00 3.50	\$20.00 \$25.00
britzensis, 20'-25' Particularly good when used 2 to 3 ft	25 30 35 Chines	2.00 2.50 3.00 E Schola	variety. 15.00 20.00 25.00
2 to 3 ft		7.50	
SORBUS aucuparia, 25'-30' A valuable tree on a small lawn striking. 4 to 5 ft	; the scarle 55	Mountai t berries :	n Asн are quite
TILIA americana, 75'-90' Grows rather quickly, forming	Ам	erican I ad. Has	INDEN fragrant
yellow flowers. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in 9 to 11 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in 11 to 13 ft.—2 to 2¼ in 12 to 13 ft.—2½ to 2½ in	2.00 2.25 2.50 3.25	16.00 18 50 21.00 23.50	
— euchlora (dasystyla), 60'-75' Beautiful glossy dark green fol 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in 9 to 11 ft.—1½ to 1¾ to 1 10 to 12 ft.—2 to 2¼ in 12 to 14 ft.—2½ to 2½ in	iage with year 1.75 2 00 2.25 2.50 3.25	RIMEAN I ellow twig 16.00 18.50 21.00 23.50	gs.
— platyphyllos, 60'-75' 8 to 10 ft.—1½ to 1½ in 9 to 10 ft.—1½ to 1¾ in 10 to 11 ft.—1¾ to 2 in 11 to 12 ft.—2 to 2¼ in	2.25	ROPEAN I 18.50 21.00 23.50	LINDEN



		•	
Two year Spirea anthony waterer averagin are well-branched, well-grown, the best t See page 34.	g 2 and hat can	½ ft. 5	The plants anywhere
TILIA—continued	Each	Per 10	Per 100
— tomentosa (argentea), 60'-70' Symmetrical and compact. Leaves very noticeable when blown by wir 1½ to 1¾ in	silvery	erleaf I gray und \$21.00	
134 to 2 in. 2 to 214 in. 214 to 21/2 in.	2.50 3.25 4.50	23.50	
 vulgaris, 60'-70' In late June the fragrant flowers as metrical and compact. 		Common I eable; gr	
8 to 10 ft.—1½ to 1½ in 10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in 11 to 12 ft.—2 to 2¼ in	2.00 2.25 2.50 3.25	18.50 21.00 23.50	
ULMUS americana, 80'-100' Stateliness and dignity are here exerging growth, this typical American tree portions and commands respect to 6 to 8 ft	soon a	ssumes reho look 8.50 11.50 16.00 21.00	rapid in egal pro- upon it. \$ 75.00 100.00 150.00
glabra (latifolia), 60'-80' A spreading tree of rapid growth 8 to 10 ft	1.25 1.75 2.25 3.00 3.75		rh Elm foliage.
— — camperdowni, 8'-10' The weeping Elm of good foliage an 1 year head, 5 ft. stems		MPERDOW for weep	

DECIDUOUS SHRUBS

Our methods of lining out and cutting back insure the kind of full, bushy plant which really is the standard of excellence,—a young, thrifty shrub, graded liberally.

Nearly all shrubs are dug with a tree-digger which means good

roots, and lots of them.

The figures in italics, following each variety, indicate in feet the approximate height of that plant when mature.

the approximate height of that plant wh We offer the following own-grown sto		ıre.	
the oner the ronowing own grown sto		Per 10	Dor 100
ACANTHOPANAX pentaphyllum, 7'-8'		E LEAF A	
Graceful, arching habit; splendid for			
good foliage for smoky exposures.	n names	, very au	aptable,
18 to 24 in	\$.25	\$2.00	\$15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	~0.00
ACER buergerianum, 12'-15'		RIDENT N	[. nr n
5 to 6 ft	.75	RIDENT A	IAPLE
6 to 7 ft	1.00		
— palmatum (polymorphum), 12'-15' Gr	REEN JA	PANESE M	IAPLE
Develops into a splendid specimen			
3 to 4 ft.—B. and B	2.50	22.50	
4 to 5 ft.—B. and B	3.00	27.00	
- tataricum ginnala, 10'-12'	TAR	TARIAN N	IAPLE
Graceful and valuable for bright re-			
2 to 3 ft	.40	3.50	,
3 to 4 ft	.60	5.50	
4 to 5 ft	1.00	9.50	
5 to 6 ft	1.50	14.00	
AMELANCHIER canadensis	Doz	VNY SHAD	BLOW
(botryapium), 10'-12'	Do	, LIMB	DLO II
White flowers in early spring before	leaves:	fruits are	relished
by birds.	ica (co,	runo uro	remonea
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.50	
AMORPHA canescens, 2'-3'		LEAD P	T 1377
Bluish purple flowers in June.		LEAD I	LANI
. 18 to 24 in	.40	3.50	
	.10		D.
— fruticosa 8'-10'	1 1 1 1	Indigo	DUSH
Deep purple flowers, June, spreading			
2 to 3 ft	.25 .30	$\frac{2.00}{2.50}$	
3 to 4 ft			
4 to 5 ft	.40	3.50	
AMYGDALUS nana, 5'-6'		ERING AL	
Flowers double, May; very showy;	there ar	e Pink and	White
varieties.			
18 to 24 in	.50	4.50	40.00
2 to 2½ ft	.60	5.50	50.00
2½ to 3 ft	.70	6.50	60.00
3 to 3½ ft	.80	7.50	70.00
ANDROMEDA aborea (See OXYDEND	RON)		
ARALIA pentaphyllum (See ACANTHO)	PANAX)	
— spinosa, 18'–20'		ERCULES	Сын
Useful for tropical effects and shade			
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40	3.50	30.00
ARONIA arbutifolia, 6'-8'		о Снокев	
Valuable because of its red berries			
18 to 24 in	.40	3.50	30.00
2 to 3 ft	.50	4.5 0	40.00
3 to 4 ft	60	5.50	10.00

3 to 4 ft.....

.60

5.50

ARONIA—continued		Per 10	
— melanocarpa (nigra), 8'–10'		ск Сноке	
Delicate white flowers in May; blace	ek berrie	es persist ı	ıntil late.
18 to 24 in		\$2.50	
2 to 3 ft	.35	3.00	
3 to 4 ft	.40	3.50	
AZALEA Calendulacea, 4'-5'		FLAME A	ZALEA
The great flame Azalea of Carolina	Mount	ains; ver	y showy
burnt orange flowers.			
12 to 15 in., B. and B	1.25		
— kaempferi, 4'-5'		TORCH A	ZALEA
Warm brick-red flowers in May.			
12 to 15 in., B. and B	1.25		
15 to 18 in., B. and B	1.50		
— mollis, 3'-4'	C	CHINESE A	ZALEA
Pink and yellow flowers.			
12 to 15 in., B. and B	1.25	11.00	\$100.00
— vasevi, 8'-9'	Pran	K SHELL A	
Delicate pink,—April and May.	7 11/1	K DHELL I	LEALEA
12 to 15 in., B. and B	1.25		
15 to 18 in., B. and B	1.50		
- viscosa, 6'-7'	1.00	SWAMP A	ZALEA
White, very fragrant, June, July.		C 111111 1	
12 to 15 in., B. and B	1.25		
15 to 18 in , B. and B	1.50		
— vodogawa, 3'-4'	You	DOGAWA A	ZALEA
Double pinkish-lavender flowers, M			
exceptional merit.	·	·	·
12 to 15 in., B. and B	1.25	11.00	
15 to 18 in., B. and B	1.50	13.50	
18 to 24 in., B. and B	1.75	16.00	
BACCHARIS halimifolia, 9'-10'	G	ROUNDSEL	Bush
Conspicuous fluffy seed pods in S			
planting.	1		
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	
3 to 4 ft	40	3.50	
BENZOIN aestivale (LINDERA benzoi	in) 10'-	-19' Spr	гопен
Flowers yellow, April. Scarlet b	erries	beautiful	antumu
coloring, leaves aromatic.	cirics,	ocuucii ui	aacamii
18 to 24 in	.30	2.50	•
2 to 3 ft	.35	3.00	
3 to 4 ft	.45	4.00	
BERBERIS hackadata			
18 to 24 in	.25		
2 to 3 ft	.30		
3 to 4 ft	.35		
— thunbergi, 4'-5'		NESE BAR	BERRY
A splendid low hedge plant, or for n			
coloring; scarlet berries.		,	
Each	Per 10	0 Per 100	Per 1000
9 to 12 in	.75	5.00	40.00
12 to 15 in	1.25	10.00	80.00
15 to 18 in	1.75	15.00	120.00
18 to 24 in	2.25	20.00	160.00
2 to $2\frac{1}{2}$ ft	2.75		
— — minor, 2'-3'	_	Box Bar	
A dwarf, compact form of Japanese	Barber	ry; fruits	sparing-
ly. Used for edging where Box is r	ot hard	ly.	
	Each	Per 10	Per 100
6 to 8 in	.15	10.00	
8 to 10 in	.20	15.00	
10 to 12 in	.25		
12 to 15 in	.30		

BERBERIS—continued	Each	Per 10	Per 100
- vulgaris, 7'-8'		PEAN BAR	
Yellow flowers, May. Fruit red,	persisti	ng to m	idwinter:
upright habit.	P		,
18 to 24 in	\$.20	\$1.50	\$10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30		
—— purpurea, 7'-8'	URPLE I	EUR BAR	BERRY
Has pleasing soft purplish foliage.	05	2.00	1 = 00
18 to 24 in	.25 .30	$\frac{2.00}{2.50}$	15.00 20.00
3 to 4 ft	.35	3.00	20.00
BUDDLEIA davidi veitchiana, 5'-6'	.00 D	UTTERFLY	Dran
Very effective with gray-green folia	ge and	deen lilaa	flowers.
likes sun. June, September.	gc and	deep inac	nowers,
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
CALLICARPA purpurea, 3'-4' Ci	HINESE	BEAUTY 1	Berry
Lilac-violet berries, especially attract	ctive in .	August.	Graceful
habit.			
15 to 18 in	.30	2.50	20.00
18 to 24 in	.35	3.00	
2 to 3 ft	.40	3.50	
CALYCANTHUS floridus	0.5	SWEET	
18 to 24 in	.35	3.00	25.00
2 to 3 ft	.40 .50	$\frac{3.50}{4.50}$	
CARAGANA arborescens, 10'-12'			Т
Yellow pea-shaped flowers, May-Ju		RIAN PEA	-1REE
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
CARYOPTERIS incana (mastacantha),			
Lavender-blue flowers, SeptOct.	Splen	did for	
Requires protection.			
12 to 15 in., 1 yr	.25	2.00	15.00
15 to 18 in., 2 yr	.30	2.50	20.00
CEANOTHUS americanus, 3'-4'		Jerse	Y-TEA
Very attractive dwarf native shrub			
12 to 18 in	.40	3.50	30.00
18 to 24 in	.45	4.00	35.00
CELTIS occidentalis (See Tree)			
CEPHALANTHUS occidentalis, 5'-6'		BUTTO	NBUSH
Round heads of creamy white fi	lowers,	July-Sep	t. Good
foliage; likes moisture.	20	1 50	
18 to 24 in	.20 .25	$\frac{1.50}{2.00}$	
CERCIS canadensis, 12'-15'		ERICAN R	
Rosy-pink, April, very effective whe good foliage.	n piante	ed with D	ogwood;
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.50	4.50	00.00
4 to 5 ft	.60	5.50	
— chinensis, 10'-12'	Cı	HINESE R	EDBUD
Flowers a little larger and darker	r than	above, b	ut more
compact habit of growth.			20.00
12 to 18 in	.30	2.50	20.00
18 to 24 in	.40	3.50	30.00
CHIONANTHUS virginica, 15'-18'	м.	WHITE F	
Fragrant tassel-like white flowers.	May-	une. Bl	ue-black
plum-like fruits follow. 18 to 24 in	.55	5.00	
2 to 3 ft	.65	6.00	
3 to 4 ft	.80	0.00	

	Each	Per 10	Per 100
CLETHRA alnifolia, 4'-5'		SUMMER	
Spikes of very fragrant flowers, Ju	ulv-Sent	Prefer	e moiet
shady places.	шу оср	LICICI	s moist,
18 to 24 in	\$.30	\$2.50	\$20.00
2 to 2½ ft	.35	3.00	φ~0.00
2½ to 3 ft	.40	3.50	
COLUTEA arborescens, 8'-10'		BLADDER	Crara.
Yellow flowers, June-August. Usef	ul for d	DLADDER	SENNA
2 to 3 ft	.25	2.00	•
3 to 4 ft	.30	2.50	
4 to 5 ft	.40	3.50	
CORNUS alba (sibirica), 8'-10' Bright red bark, porcelain blue fruit		ORAL DO	GWOOD
	ts. Q ui	ck growe	r; useful
for winter effect.	20	1 20	10.00
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	
—— spaethi, 6'-8' YELI	LOW SP.	аетн Доо	GWOOD
The leaves are margined with yello		0.00	25.00
18 to 24 in	.35	3.00	25.00
2 to 3 ft	.40	3.50	30.00
— alternifolia 15'-18'		GODA DOG	
Branches spread horizontally; most	picture	sque. Bl	ue-black
fruit.			
2 to 3 ft	.30	2.50	
3 to 4 ft	.40	3.50	
4 to 5 ft	.50	4.50	
5 to 6 ft	.60		
— amomum (sericea), 8'-9'	S	ILKY Doo	WOOD
Pale blue fruits; young twigs purpl	le. Pre	fers mois	t places.
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	
5 to 6 ft	.40	3.50	
- elegantissima, 5'-6' VARIEGATE	D CORN	ELIAN-C	HERRY
Silver and green leaves; red bark.			
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.45	4.00	35.00
— kousa, 16'–18'	Ko	usa Dog	WOOD
White flowers in June. Conspicuous			
attractive to birds.	011110		,
2 to 3 ft	.40		
3 to 4 ft	.50		
mascula, 10'-12'	CORN	ELIAN-CE	FRRV
Dense clusters of small yellow flow			
late summer has large bright red fru	it .	cry carry	opring,
18 to 24 in	.35		
— paniculata, 10'-12'		RAY DOG	WOOD
Numerous small white flowers in May	of fallow	d by whi	to fruits
on red stems.	, tonow	ed by will	te muits
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	$\frac{2.50}{3.00}$	25.00
4 to 5 ft	.33 .40	3.50	20.00
		SIER DOG	
Spreading habit, dark red bark, wh	ite fruit	s. Does	well in
moisture.	0.5	0.00	15.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	$\frac{2.50}{3.00}$	20.00
4 to \tilde{s} ft	.35	3.00	

CORNUS—continued	Each	Per 10	Per 100
	GOLDEN 1	BARK DOG	WOOD
Has distinct yellow bark; fine fo	r winter	effects.	
18 to 24 in		\$2 00	\$15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
CORYLUS americana, 8'-9'		HAZE	
Useful for natural plantings, delig	ghts in ha	ılf-shade.	
2 to 3 ft			
3 to 4 ft	.75		
CRATAEGUS (See Trees)			
CYDONIA japonica, 4'-5'	Fro	WERING Q	UINCE
Scarlet flowers in April, May.			
12 to 18 in	.30	2.50	20.00
18 to 24 in	.35	3.00	25.00
2 to 2½ ft	.40	3.50	30.00
CYTISUS scoparius, 4'-6'	***	Scotch I	
Thin, green branches, covered wi	th vellow	flowers	310011
18 to 24 in		2.50	
2 to 3 ft		3.50	
3 to 4 ft	.50	4.50	
	.50	4.50	
DESMODIUM (See LESPEDEZA)			
DEUTZIA candidissima, 9'-10'		flake Di	EUTZIA
Graceful habit, double white, Jun	ne.		
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	
— crenata fl. pl., 6'-8'	Doubli	E PINK DE	EUTZIA
Pink, slightly fragrant, June.			
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft		3.00	
— gracilis, 3'		ENDER D	EUTZIA
Profuse bloomer, pure white, Ma	av. Usef	ul "facing	" shrub.
10 to 12 in			
12 to 15 in	.30	2.50	20.00
15 to 18 in	.35	3.00	25.00
15 to 18 in	PINK SI	ENDER D	EUTZIA
18 to 24 in		3.50	
2 to 21/2 ft	.45	4.00	
— lemoinei, 4'-5'	Li	EMOINE D	EUTZIA
Large white flowers, June, gracel			
15 to 18 in		2.50	
18 to 24 in		3.00	
2 to 2½ ft		3.50	
— parviflora, 3'		GOLIAN DI	EUTZIA
Semi-erect habit, white, June. I	Distinctiv	e.	
15 to 18 in		1.50	
18 to 24 in		2.00	
2 to 2½ ft.	.30	2.50	
2 to 2½ ft	LARGE	FLWD. D	EUTZIA
Vigorous large flower tinged pink	z. June.		
2 to 3 ft		2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	40.00
— vilmorinae, 4'-5'		LMORIN D	EUTZIA
18 to 24 in		2.00	
2 to 2½ ft	.30	2.50	
			HOULE
Vollow Tuno Il A 11	ARF DUS	HONEYS	CCKLE
Yellow, June-July. A good low	snrub for		ices.
15 to 18 in	25	2.00	
18 to 24 in	.30	2.50	TOTAL TO
— sessilifolia (lutea), 4'-5' SOUTH	ERN BUS	H HONEYS	UCKLE
Yellow, more vigorous than prec	eding, Ju		
2 to 3 ft	25	$\frac{2.00}{2.50}$	
5 to 4 ft	30	2.50	

	Fach	Per 10	Por 100
ELAEAGNUS angustifolia, 15'-18'	Lacii	RUSSIAN	
Silver-gray leaves and branchlets,	orongo	honning	good for
massing.	orange	berries,	good for
2 to 3 ft	\$.30	\$2.50	\$20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40	3.50	20.00
— longipes, $6'-8'$		RRY ELAE	ACNITIC
Silvery leaves, fragrant yellow fl	owers	May I	arge red
berries ripe in July.	owers,	1.1aj. 12	arge rea
18 to 24 in:	.30		
2 to 3 ft	.40		
3 to 4 ft	.50		
EUONYMUS alatus, 9'-10'		GED EUO	
Interesting corky bark, warm cr	ımson	autumn	coloring.
Makes fine specimen shrub.	40	0.70	
18 to 24 in	.40	3.50	
2 to 2½ ft	.50	4.50	
2½ to 3 ft	.60	5.50	
3 to 4 ft	.75	7.00	
= americanus, 7-8		ook Euo	NYMUS
Pink fruits; prefers moist locations		2.00	
18 to 24 in	.25 .30	2.00	
2 to 3 ft	.35		
3 to 4 ft		-	
		RRY EUO	
Fruits profusely. The orange and	white se	ed pods p	ersist on
bush for a long time. Good autum 2 to 3 ft	n colori	ing.	
2 to 3 it	.25	2.00	
3 to 4 ft	.35	3.00 4.00	
4 to 5 ft	.45		
		BURNIN	GBUSH
Pink fruits on long stalks, persistin			
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	
3 to 4 ft	.40		
EXOCHORDA grandiflora, 6'-9'		Pear	LBUSH
Dazzling white flowers, May. Is in	nproved	ł by prun	ing.
18 to 24 in	.35	3.00	25.00
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.45	4.00	35.00
4 to 5 ft	.50	4.50	
FORSYTHIA intermedia, 6'-8'	BORDER	GOLDEN	Bell
Bright yellow flowers in April befor			
and beautiful.			
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	
	VEEDING	GOLDEN	Bell.
Graceful drooping habit; excellent	for mas	sing or h	nks.
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40	3.50	
		GOLDEN	Bell.
Good habit, arching branches, vigor			2000
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	
		EM Fors	VTHIA
Most vigorous; has green bark and			
Last to flower.	tinck, (iai k greei	i icaves.
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	



Two year Wiegela rosea on the left; two year Wiegela nana variegata on the right. The rosea will average 3 to 4 ft., and the variegata 2 to 3 ft. See page 39.

Each Per 10 Per 100

	Dath	Wasan	1 61 100
GENISTA tinctoria, 3'		Woadw	AXEN
Yellow pea-shaped flower. June			
	.25		
3 to 4 ft	.35		
- scoparia (See CYTISUS)			
HALESIA tetraptera, 12'-15'	Gri	EAT SILVE	RBELL
Snow-white, bell-shaped flowers in	May,	profusel	y borne
along the branchlets. Can be grown	ı as s	ingle spec	imen or
massed.		8 1	
18 to 24 in	.40	\$3.50	\$30.00
2 to 3 ft	.45	4.00	35.00
3 to 4 ft	.55	5.00	45.00
	.65	6.00	30.00
4 to 5 ft	.00	Witch-	II . arrr
Yellow ribbon-like flowers, OctNov	. D		
			it, good
foliage. Succeeds best in moist, half			
	.30	2.50	
2 to 3 ft	.40	3.50	
3 to 4 ft	.50_	4.50	
HIBISCUS syriacus (Althea,) 10'-12'	R	ose of Si	
Rather formal in outline, flowering in A	Augus		tember.
Pink, purple, red, and white, single a	nd do	uble.	
Amplissima (double red) Joan	n of A	.rc (doubl	e white)
Amplissima (double red) Joan Coerulea (double purplish blue) Lady	Stan	ley (doub	le pink)
De La Vaux (double red) Siebo Elegantissima (double pink) Totus	ldi (d	ouble pin	k)
Elegantissima (double pink) Totus	s albu	s (single	white)
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	
- variegata, 6'-8' VARIEGATED LEAV			TARON
Leaves striped yellow; compact grow		002 02 8.	
18 to 24 in	.40	3.50	
2 to 2½ ft	.45	4.00	
2½ to 3 ft	.50	4.50	
2 to 4 ft	.55	5.00	
3 to 4 ft		o.oo fh Hydr	Man.
	5MOO	TH HYDRA	INGEA
White, June-July.			
Single white flower. August.	0.0	2.50	20.00
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	
— grandiflora alba (sterilis), 4'-5'		Snown	
Large double white flower panicles,			
18 to 24 in	.35	3.00	25.00
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.45	4.00	

24 THINCETON NOT			
HYDRANGEA—continued	Each	Per 10	Per 100
— paniculata (type), 8'-9'		CLE HYDR	
Bears long, loose panicles of white	e flowers	August.	
18 to 24 in		\$3.00	\$25.00
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.45	4.00	
– — grandiflora, 8′–9′		GEE HYDE	ANGEA
Very showy, blooming in August.	1 15150	JEE IIIDI	IANGEA
18 to 24 in	.30	2.50	20.00
2 to 2½ ft	.35	3.00	25.00
2½ to 3 ft	.40	3.50	20.00
3 to 4 ft	.50	4.50	
— — standard			
		REE HYDF 5.50	50.00
Medium, 3 to 4 ft First Class, 3 to 4 ft	.80	7.50	70.00
Extra, 4 to 5 ft	1.00	9.50	90.00
— quercifolia, 3'–4'	OAKL	EAF HYDF	RANGEA
Leaves shaped like an oak leaf.	Splendic	l autumn	coloring
succeeds in shade.			
12 to 15 in		3.00	
15 to 18 in	.50	4.00	
18 to 24 in	.60	5.00	
radiata (nivea), 4'-5'	SILVERL	EAF HYDF	RANGEA
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
HYPERICUM aureum, 3'-4'	GOLDEN	St. John	SWORT
Yellow. July-August. Blue-gree	n foliage	: dense h	abit.
15 to 18 in	.20	1.50	
18 to 24 in	.25	2.00	
2 to 2½ ft	.30	2.50	
J: A 1/ 7/ D E-			
- densiflorum, 4'-5' DENSE FI	OWERED	ST. JOHN	SWORT
Yellow. July-September. Free flo	owering;	good for s	andy son
18 to 24 iii	.20	2.00	
2 10 2/2 11	.30	2.50	
18 to 24 in	.30	3.00	
— kalmianum, 4′–5′	IXALM	ST. JOHN	SWORT
Blue-green leaves, glaucous under	side. W	itnstands	arougnt
July-September.	25	2.00	
18 to 24 in	.25	2.00	
2 to 2½ ft	.30	2.50	
— moserianum, 2'	1 4	GOLDE	LOWER
Large waxy yellow flowers. Ju	ıly-Augu	st. Dan	ity, nair
herbaceous, splendid mass plant.	25	2.00	1 = 0/
2 yr., 12 to 15 in		2.00	15.00
2 yr., 15 to 18 in	.30	2.50	20.00
2 yr., 18 to 24 in	.35	3.00	
ILEX verticillata (prinos), 6'-8'		WINTE	RBERRY
Bright red berries persisting to	mid-wir	iter, not	eaten by
birds. Prefers moist soil.			
18 to 24 in	.35	3.00	
2 to 2½ ft	.40	3.50	
2½ to 3 ft	.45	4.00	
ITEA virginica, 3'-4'			ETSPIRE
Spikes of fragrant, white flowers.	July (Good for le	
brilliant autumn coloring.	ouly.	1000110110	m places
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.35	3.00	25.00
JASMINUM nudiflorum, 3'		WINTER J	
Yellow. April-May. Needs pro	tection	in northe	rn states
One of the first to bloom in the s	pring.		
15 to 18 in	.25	2.00	15.00
18 to 24 in	.30	2.50	20.00
2 to 2½ ft	.35	3.00	25.00
$2\frac{1}{2}$ to 3 ft	.40	3.50	30.00
/ <u> </u>			

-	Each	Per 10	Per 100
KERRIA japonica, 4'-5'	J_{AI}	PANESE KI	ERRIA
Golden yellow flowers, June-Sept.	Green b	ranches us	seful for
winter effects. 18 to 24 in	ø 95	99.00	
2 to 2½ ft	\$.35 .40	\$3.00 3.50	
		PANESE KI	ERRIA
Desirable double form of above an	d strong		
18 to 24 in	.35	3.00	
2 to 2½ ft	.40 .45	$\frac{3.50}{4.00}$	
LESPEDEZA bicolor, 5'-6'	.10	Bushci	OWED
Rose and white flower, September.	. Slende		
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	
4 to 5 ft	.40	3.50	
- formosa (Desmodium penduliflorum	ı), 3″−4″ Рпврі	LE BUSHCE	OVER
Rosy purple flower conspicuous			
herbaceous shrub.	20		
18 to 24 in	.30	$\frac{2.50}{3.00}$	
3 to 4 ft	.40	3.50	
LIGUSTRUM acuminatum (ciliatum),	5'-6' Br	GRERRY P	BIVET
Drops its leaves early, revealing	an abu	indance o	f black
berries. 2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	
4 to 5 ft	.35	3.00	
- amurense, 14'-15'		Amur P	RIVET
Half evergreen; very hardy. 18 to 24 in	18	1.30	\$ 8.00
2 to 3 ft	.20	1.50	10.00
3 to 4 ft	.25	2.00	15.00
— ibota, 9'-10		Івота Р	RIVET
Good dense habit; flowers and f black berries. Very hardy.	ruits fre	eely. De	corative
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
— regelianum (cuttings), 5'-6' True Makes a splendid, low, dense hedg	SPREAD	ING KEGEI rood in sh	. PRIVET rubberv
or evergreen plantings. Very design	rable.	,000 111 511	rabberj
15 to 18 in	.25	2.00	15.00
18 to 24 in	.30 .35	$\frac{2.50}{3.00}$	$20.00 \\ 25.00$
2½ to 3 ft	.40	3.50	30.00
(seedlings) Si		REGAL P	RIVET
A form between the above and Ibo			
18 to 24 in	.15 .20	$\frac{1.00}{1.50}$	
3 to 4 ft	.25	2.00	
— lodense, 2½'		DWARF P	RIVET
Very compact, dwarf form. 1 year	.30	2.50	20.00
- ovalifolium, 9'-10'		ifornia P	
Most popular hedge plant. We of			
well worth the price.	Per 10	Per 100 F	Per 1000
12 to 18 in	.40	3.00	20.00
18 to 24 in	.60	4.00	35.00
2 to 3 ft	.80 1.00	6.00 8.00	$50.00 \\ 75.00$
3 to 4 ft	1.00	8.00	10.00


LIGUSTRUM—continued	10. 1	D. 10	D 100
	Each	Per 10	
— aureum, 8'-9' Grows rather slowly.		GOLDEN]	PRIVET
12 to 15 in	. \$.25	\$2.00	\$15.00
15 to 18 in		2.50	20.00
– vulgare, 10'–12'		UROPEAN]	
Creamy-white flowers. June-Ju			LULL
2 to 3 ft	25	2.00	15.00
3 to 4 ft	. 30	2.50	20.00
4 to 5 ft	35	3.00	25.00
ONICERA alberti, 2'	ALBER	T HONEYS	SUCKLE
Rose-pink fragrant flowers. Ma	y-June. 1	Bluish-gree	en leaves
Dwarf in habit.			
12 to 18 in		2.50	
18 to 24 in		3.00	
- bella albida, $8-9'$ Wi	HITE BELL	E HONEYS	SUCKLE
Grows vigorously.	0-	2.00	1.500
2 to 3 ft		2.00 2.50	15.00 20.00
4 to 5 ft		3.00	25.00
- fragrantissima, 6'-8'		R Honeys	
Fragrant white flower, April-Ma	WINTE -Holf	A HUNEYS	UCKLE
2 to 3 ft	30	2.50	20.00
3 to 4 ft		3.00	25 00
– maacki, 8'–9'	Ами	R HONEYS	UCKLE
Large white flowers—June—sca	arlet berr	ies persist	ing unti
midwinter. Very desirable.		•	-
2 to 3 ft		2.00	15.00
3 to 4 ft			20.00
4 to 5 ft		3.00	25.00
— podocarpa, 8'-9'	LAT	E HONEYS	UCKLE
Smaller flowers tinged pink, bu	t better fi	uit than p	receding
also holds its leaves longer. 2 to 3 ft	35		
– morrowi, 7'-8'	Morro	w Honeys	UCKLE
Spreading habit, white. May-Ju	ine. Red	fruits, goo	d foliage
18 to 24 in		1.50	10.00
2 to 3 ft		2.00	15.00
3 to 4 ft		2.50	20.00
4 to 5 ft	35		
— (upright)	90	1 50	10.00
18 to 24 in		1.50 2.00	10.00 15.00
3 to 4 ft		2.50	20 00
4 to 5 ft		~.00	20.00
– pileata, 2'		T HONEYS	UCKLE
Dwarf evergreen shrub; needs p			gions.
9 to 12 in., bushy	40	3.50	
– ruprechtiana, 8'–9' M Creamy white flowers—June. B	ANCHURIA	n Honeys	UCKLE
18 to 24 in		1.50 2.00	10.00 15 00
3 to 4 ft	2.3		13 00
– standishi, 4′–5′		HONEYS	UCKLE
Blush flowers, fragrant. April.		fruit, hold	
well.		,	U
18 to 24 in		2.50	
2 to 3 ft		3.00	
3 to 4 ft	40		
- tatarica, Pink. Red and White, 9'-1			
Flowers and fruit freely produced		t adaptab 1.50	ie snrub 10 00
18 to 24 in		2.00	15.00
		2.50	20.00
0 10 4 11			
3 to 4 ft			

. THIN BION, NEW	9151651	51	21
LONICERA—continued	Fach	Per 10	Por 100
- xylosteum, 6'-7' EUROPE	PAN FIV	HONEVE	161 100
Flower creamy white. June. Dar	k red fr	nit	UCKLE
2 to 3 ft		\$2.00	\$15.00
3 to 4 ft	.30	2.50	20.00
MYRICA cerifera, 4'-5	SOUTHER	RN WAXM	YRTLE
Does well in poor, gravelly soil. H	as decor	atıve gray	y berries,
and glossy green foliage. Good for			20.00
12 to 15 in	.30	2.50	20.00
15 to 18 in	.35 .40	3.00	25.00
18 to 24 in	.40	3.50	30.00
OXYDENDRUM arboreum, 25'-30'		Sou	RWOOD
Graceful clusters of white flowers.	Augus	st. Good	leathery
foliage. Fine autumn coloring.			
2 to 3 ft	.65	6.00	
3 to 4 ft	80	7.50	
4 to 5 ft	.90	8.50	
PHILADELPHUS avalanche, 3'-4'	DWAR	ь Моско	RANGE
Graceful, arching habit.			
18 to 24 in	.30	2.50	20.00
2 to 3 ft	35	3.00	25.00
3 to 4 ft	.40	3.50	
— boquet blanc, 3' WHITE	Вопопя	т Моско	DANCE
— boquet blanc, 3' WHITE Low, dense habit. Blooms freely,	May-Ju	ne	MANGE
18 to 24 in	.25	.110.	
2 to 2½ ft	.30		
2½ to 3 ft	.35		
3 to 4 ft	.40		-
— coronarius, $9'-10'$		т Моско	DANCE
White fragrant flowers profusely b			
2 to 3 ft		2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
		ь Моско	
Dwarf, compact form. Yellow lea	DEN LEA	TE DIOCK	RANGE
12 to 15 in	.30	2.50	20.00
15 to 18 in	.35	3.00	25.00
18 to 24 in	.40	3.50	******
2 to 2½ ft	.45	0.00	
grandiflorus, 7'-8' LARGE F		n Moore	DANCE
Has no fragrance.	LOWERE	D MIOCKC	RANGE
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
- gordonianus (lewisi), 10'-12'			
Flowers in June-July. Slightly fra	GORDO	Plaama l	ORANGE
		2.00	15.00
2 to 3 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
— lemoinei, 4'-5'		E Mocke	RANGE
Good compact habit. Flowers sw		1.50	
15 to 18 in	.25		
18 to 24 in	.30	2.00 2.50	
2 to 2½ ft			
— pubescens, 12'-15'		Y Mocke	KANGE
Large white scentless flowers, June		9.00	
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	
4 to 5 ft	.35	3.00	
- virginalis, 7'-8'		L Mocke	
Beautiful semi-double flowers pr	oduced	ıntermitt	ently all
summer.	~^	4 50	
2 to 3 ft	.50	4.50	



Partial view of seed field. This gives an idea of the extent of our facilities gladly mail it on request to nurserymen engaged in growing stock and enti


PHILADELPHUS—continued	Fach	Per 10	Per 100
— zevheri, 8'-9'		в Моско	
18 to 24 in		\$1.50	HANGE
2 to 3 ft	.25		
3 to 4 ft	.30	2.50	
		74.00	
		RIED PHO	
Flowers white, June. Rich scarlet			borne in
autumn. Splendid foliage for cold			
2 to 3 ft		2.50	
3 to 4 ft		3.00	
POTENTILLA fruticosa, 3'-4'			
Blooms profusely, yellow, June-Se	ept. Ve	ry adapta	able and
useful shrub.			
15 to 18 in	.25	2.00	\$15.00
18 to 24 in	.30	2.50	20.00
2 to 2½ ft	.35	3.00	
PRINOS (See ILEX)			
PRUNUS maritima, 9'-10'		Beach	Plum
PRUNUS maritima, 9'-10' Small white flowers, April. Fru	its are		
Small white flowers, April. Fru			
Small white flowers, April. Fru subject for sandy soils or near seas			
Small white flowers, April. Fru subject for sandy soils or near seas 18 to 24 in	shore.	ourple.	
Small white flowers, April. Fru subject for sandy soils or near seas 18 to 24 in	shore. .30	ourple. 2.50	
Small white flowers, April. Fru subject for sandy soils or near seas 18 to 24 in	shore. .30 .35	ourple. 2.50	
Small white flowers, April. Fru subject for sandy soils or near seas 18 to 24 in 2 to 3 ft	shore. .30 .35 .40	ourple. 2.50	Splendid
Small white flowers, April. Fru subject for sandy soils or near seas 18 to 24 in	shore. .30 .35 .40	2.50 3.00 NKING C	Splendid
Small white flowers, April. Fru subject for sandy soils or near seas 18 to 24 in	shore. .30 .35 .40	2.50 3.00 NKING C	Splendid
Small white flowers, April. Fru subject for sandy soils or near seas 18 to 24 in	shore. .30 .35 .40	2.50 3.00 NKING C	Splendid
Small white flowers, April. Fru subject for sandy soils or near seas 18 to 24 in 2 to 3 ft	shore. .30 .35 .40 Na nite, befo	2.50 3.00 NKING C	Splendid HERRY appear.
Small white flowers, April. Fru subject for sandy soils or near seas 18 to 24 in	shore. .30 .35 .40 Na nite, befo	2.50 3.00 NKING C re leaves	Splendid HERRY appear.
Small white flowers, April. Fru subject for sandy soils or near seas 18 to 24 in	NA .35 .40 NA .35 .40 .35 .40 .45	2.50 3.00 NKING C re leaves 3.00 3.50	Splendid HERRY appear. 25.00
Small white flowers, April. Fru subject for sandy soils or near seas 18 to 24 in	.30 .35 .40 .35 .40 .35 .40 .45 .40	2.50 3.00 3.00 NKING C re leaves 3.00 3.50 4.00	Splendid HERRY Appear. 25.00 PLUM
Small white flowers, April. Fru subject for sandy soils or near seas 18 to 24 in 2 to 3 ft 3 to 4 ft — pissardi (See Trees) — tomentosa, 6'-7' Fruits are light red. Flowers what Wery showy. 2 to 3 ft 3 to 4 ft 4 to 5 ft — triloba, 7'-8'	.30 .35 .40 .35 .40 .35 .40 .45 .40	2.50 3.00 3.00 NKING C re leaves 3.00 3.50 4.00 BLE FLG.	Splendid HERRY Appear. 25.00 PLUM
Small white flowers, April. Fru subject for sandy soils or near seas 18 to 24 in	.30 .35 .40 NAnite, before .35 .40 .45 Dou Handson .40	2.50 3.00 NKING C re leaves 3.00 3.50 4.00 BLE FLG. ne and us	HERRY appear. 25.00 PLUM ceful.
Small white flowers, April. Fru subject for sandy soils or near seas 18 to 24 in	.30 .35 .40 .35 .40 .35 .40 .45 .40 .45 Dou Handson .40	2.50 3.00 NKING C re leaves 3.00 3.50 4.00 BLE F.LG. ne and us	HERRY appear. 25.00 PLUM seful. 30.00



	Each	Per 10	Per 100
PTELEA (See Trees)	Dath	1 61 10	101 100
PRYUS arbutifolia (See Aronia)			
- floribunda (See Malus-Trees)			•
RHAMNUS cathartica, 9'-10'	Сомм	on Buck	THORN
Dark green leaves, black berries.		able bac	
shrub.			
2 to 3 ft	\$.25	\$2.00	
3 to 4 ft	.30	2.50	
4 to 5 ft	.35	3.00	
— frangula, 8'-9'	GLO	SSY BUCK	THORN
Berries red, changing to black.			
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	
4 to 5 ft	.35	3.00	
RHODOTYPUS kerrioides, 4'-5'	3.5		ETBEAD
Fresh green foliage, pure white flow black bead-like berries all winter.	wers, M	ay-June.	Shining
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	
3 to 4 ft	.40	3.00	
RHUS canadensis (aromatica), 4'-5'		RAGRANT	STIMAG
Clusters of small yellow flowers, Ap			
in June when covered with cora			
drought. Aromatic foliage.			
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	
3 to 4 ft	.40	3.50	
copallina, 12'-13'		SHINING	
Showy crimson fruits; good autum	n color	ing. Ma	kes show
in poor arid situations; good for m	assing.		
12 to 18 in	.20	1.50	\$10.00
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00

RHUS-continued

- cotinus, 10'-12'



Azalea hinodegiri at Princeton. This shows part of our stock of this variety. Note how symmetrical and bushy the plants are. See page 42.

Each

Per 10

Per 100

SMOKE TREE

Downlo frings		CITOTEL	21122
Purple fringe.	ф то		
18 to 24 in	\$.50		
2 to 3 ft	.75		
3 to 4 ft	1.00		
— glabra, 10′–12′		Sмоотн 8	
Crimson fruits in bunches; rich au	tumn co	loring; tl	nrives in
poor soils.			
2 to 3 ft	.20	\$1.50	\$10.00
3 to 4 ft	.25	2.00	15.00
4 to 5 ft	.30	2.50	20.00
5 to 6 ft	.35	3.00	
	UTLEAF	Sмоотн S	SUMAC
Delicately cut leaves; grows slowly			
18 to 24 in	.35	3.00	
2 to 2½ ft	.40	3.50	
2½ to 3 ft	.45	4.00	
— javanica (osbecki), 8'-10'	.TJ	JAVA S	STALLO
Has handsome foliage.		JAIA	OUMAC
	.30		
2 to 2½ ft			· · · · ·
— typhina, 15'-18'		AGHORN S	DUMAC
Picturesque habit; brilliant autum	п епест.	7 50	70.00
2 to 3 ft	.20	1.50	10.00
3 to 4 ft	.25	2.00	15.00
4 to 5 ft	.30	2.50	20.00
— — laciniata, 14′–15′ Cur			
Leaves are finely cut, giving attract	tive feat		earance.
18 to 24 in	20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	
RIBES odoratum (aureum), 7'-8'	Gor	LDEN CUI	RRANT
Fragrant yellow flowers in May.		r under p	
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40	3.50	
ROBINIA hispida, 5'-6'		Rose A	CACTA
Rosy pink, attractive flowers, M	ov. Juna		
into a mass.	ay-sunc.	SOOH (ic velops
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
ð 10 4 11	.55	5.00	20.00

	Each	Per 10	Per 100
ROSA blanda, 4'-5'	1.1.1	MEADOW	Rose
Pink, May. Almost thornless; rede	uisn br \$.25	\$2.00	
2 to 3 ft	.30	2.50	
— humilis, 3'-4'		PASTURE	Rose
Pink, May-June.	0.5		
2 year	.25	VIRGINIA	Roge
Pink, June. Red decorative fruits.		VINGINIA	LUSE
15 to 18 in	.20	1.50	
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50 Japanese	Rose
White, June. Vigorous, free flower			
2 to 3 ft	.25	5.00	
3 to 4 ft	.30	2.50	D
— nitida, 3'-4' Deep pink, June. Good for holding	r bonk	BRISTLY	
planting; good autumn coloring.	g Dank	s and gene	nai mass
15 to 18 in	.20	1.50	
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50	Daan
Pink, May-July. Good for swamp	v place	SWAMI	ROSE
15 to 18 in	.20	1.50	
18 to 24 in	.25	2.00	
— rubiginosa, 5'-6'	1:		FBRIER
Bright pink flowers, June. Good for 18 to 24 in	ладе v .30	vita aroma 2.50	\$20.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	30.00
— rubrifolia (ferruginea), 5'-6'		REDLEAD	
Has distinct purplish-red leaves subject.	and I	oark; goo	d winter
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	n Dragge	Door
— rugosa, 4'-5' Handsome shrub, large pink flower	n.e. June	D Rugos Sept R	ich green
foliage and large red fruits; useful	either i	n shrubbe	ry border
or as hedge.			
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30 .35	2.50 3.00	20.00 25.00
— — alba, 4'-5'		re Rugos	_
18 to 24 in	.35	3.00	
2 to 3 ft	.40	3.50	
3 to 4 ft	.45	4.00 Prairi	E Rose
Deep rose flower, June-July. Vigo	rous gr		3 10002
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00 2.50	$15.00 \\ 20.00$
3 to 4 ft	.30		и Rose
A dainty grower, but compact; but	ranches		
thorns; attractive small foliage.			
12 to 15 in	.30	2.50	
15 to 18 in	.40 .50	3.50 4.50	
10 10 27 111	.50	T.00	
CLIMBING AND TRAIL	ING R	OSES	
Childing and Inail.	Each		Per 100
- American pillar, single red, white			****
18 to 24 in	.25	2.00 3.00	15.00 25.00
2 to 3 ft	.35	5.00	20.00



Part of our evergreens. On the right are Juniper pfitzeriana, one of the best and hardiest evergreens. See page 44.

Each Per 10 Per 100

	Lacii	I CI IU	I CI IOO
— crimson rambler		·	
18 to 24 in	\$.25	\$2.00	
2 to 3 ft	.30	2.50	
—Pauls scarlet climber			
18 to 24 in	.30	2.50	
2 to 3 ft	35	3.00	
— tausendschon	Тнос	SAND BEA	UTIES
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50 ¹	
-wichuraiana, white	N	IEMORIAL	Rose
2 to 3 ft	.25	2.00	\$15.00
3 to 4 ft	.30	2.50	20.00
Dr. W. Van Fleet, shell pink			
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
Dorothy Perkins, pink		3,00	
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	10.00
3 to 4 ft	.35	3.00	
———— white		0.00	
18 to 24 in	. 25	2.00	
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
	Red Doe	готну Ре	RKINS
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
— — gardenia, yellow	.00	0.00	*0.00
2 to 3 ft	.35	3.00	
3 to 4 ft	.40	3.50	
— — hiawatha, single red	.10	0.00	
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
	.00	5.00	
— silver moon, semi-double white	0.5	0.00	
18 to 24 in	.35	3.00	
2 to 3 ft	.40	3.50	
3 to 4 ft	.45	4.00	
— yellow rambler			
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50	

BUSH ROSES			
1-1-1-1	Each	Per 10	Per 100
— hybrid perpetual, assorted No. 1	\$.40	\$3.50	
No. 2, 2 yr	.30	2.50	
— — teas and baby ramblers, assorte			
No. 1	.50	4.50	
No. 2, 2 yr	.40	3.50	
RUBUS odoratus, 5'-6' Rose-colored, fragrant flowers p. od	t LOWERI	ING KASP	BERRY Portion
larly good for covering banks, espe	ecially in	shade.	1 articu-
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	
4 to 5 ft	.35	3.00	
SALIX (See Trees)			77
SAMBUCUS canadensis, 8'-9' Useful for swampy places; fragran		MERICAN Lune-J	
2 to 3 ft			\$20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40	3.50	т.
Leaves intricately cut.	LEAF A	MERICAN	LLDER
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
4 to 5 ft	.40	3.50	
—— aurea, 10'-12' Go Has conspicuous yellow foliage.	OLDEN A	MERICAN	ELDER
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
— pubens, 7'-8' Flowers in April-May. Bright red	ei.ai.a	Scarlet	ELDER
attractive.	ruits rip	ens m Ju	ne. very
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
4 to 5 ft	.40	3.50 EAN RED	From
2 to 3 ft	.30	2.50	LIDER
3 to 4 ft	.35	3.00	
4 to 5 ft	.40	3.50	
Graceful, compound foliage; flow	ASHMIR	FALSE S	PIRAEA
Sept.	vers erea	aniy win	ite, omy-
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40		30.00
4 to 5 ft	.45	4.00 False S	35.00
Fluffy heads of white flowers, Jun			FIRALA
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
SPIRAEA arguta, 5'-6' Small light green leaves; very free	Howerin	ARLAND S	PIRAEA Similar
to, but more vigorous than thunb	ergi.	ig. may	. Similar
12 to 18 in	.20	1.50	
18 to 24 in	.25	2.00	
2 to 2½ ft	.30 R:	2.50 ILLIARD S	
Bright pink fluffy flower spikes, J			
dry places.	-		
18 to 24 in	.20	1.50	
2 to 3 ft	.25 .30	2.00 2.50	
— bumalda, 3'	Βt	MALDA S	PIRAEA
Light pink flower, July-Sept. A	good dwa	arf "facin	g" shrub.
18 to 24 in	.35	3.00	
2 to 2½ ft	.40	3.50	30.00



In the foreground is part of a row of Retinospora squarrosa veitchi. They are sheared and are almost as broad as they are high. Next is Retinospora pisifera, which is a more open grower, although the plants have been sheared frequently. Behind is Juniper cracovica and other sorts. See pages 48 and 49.

Each Per 10 Per 100 WATERER SPIRAEA

SPIRAEA—continued

– anthony waterer, 3^\prime

Deeper rose pink than preceding	; very	free flower	ering all
summer.			
12 to 15 in	\$.25	\$2.00	\$15.00
15 to 18 in	.30	2.50	20.00
18 to 24 in	.35	3.00	25.00
2 to 2½ ft	40	3.50	30.00
$2\frac{1}{2}$ to 3 ft	.45	4.00	35.00
— — froebeli, 4'	F	ROEBEL SP	IRAEA
Smaller, but more vigorous than pr	eceding	g.	
18 to 24 in	.25	2.00	
2 to 2½ ft	.30	2.50	
2½ to 3 ft	.35	3.00	
— fortunei (callosa rosea), 3'	Fe	ORTUNE SP	IRAEA
Pink flowering; more vigorous for	rm of	following	variety.
18 to 24 in	.25	2.00	
2 to 2½ ft	.30	2.50	
— japonica (callosa alba), 3'	J_{A}	PANESE SP	IRAEA
White, June-July. Purplish-green f	oliage	when your	ng.
12 to 15 in	.30	2.50	20.00
15 to 18 in	.35	3.00	25.00
18 to 24 in	.40	3.50	
— opulifolia, 9'-10'		Nini	EBARK
Creamy white, June. Vigorous, goo	od for	shade.	
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
— — aurea. 9'-10' GOLDLEAF NINEBARK			
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
— prunifolia, 7'–8'		Bridalwi	REATH
White, May. Free-flowering; hand	some o	lark green	shining
foliage, turning orange in autumn.		0	0
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	30.00
4 to 5 ft	.45	4.00	35.00

	-		
SPIRAEA—continued	Each	Per 10	Per 100
— reevesiana, 7'-8'	F	REEVES S	PIRAEA
Pure white, May-June. Gracefu	ıl. arch	ing habit	: retains
leaves until late.	,		,,
18 to 24 in	\$.25	\$2.00	\$15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
— salicifolia, 4′–5′			
Rose-colored flowers, June-July.	WILLO	WLEAF S	PIRAEA
	.25	2.00	17.00
2 to 3 ft	.30	$\frac{2.00}{2.50}$	15.00
			20.00
— thunbergi, 4'-5'	THU	NBERG S	PIRAEA
Slender, arching branches clothed	with p	ure-white	flowers.
April-May. Small, feathery, ligh	t-green	leaves.	Valuable
for seaside planting.			
12 to 15 in	.20	1.50	10.00
15 to 18 in	.25	2.00	15.00
18 to 24 in	.30	2.50	20.00
2 to 2½ ft	.35	3.00	
— tomentosa, 3'-4'		Har	DHACK
Woolly, rose-pink flowers, July-Sept	. Leave	es brownis	sh under-
side. Good in masses for low groun			
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	35	3.00	25.00
4 to 5 ft	.40	3.50	30.00
– van houttei, 8′–9′	VANH	OUTTE SE	DIDAFA
White, May-June. Graceful habit.			
and very adaptable.	DAGG	nely free i	10 WCI IIIg
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
wilsoni, 8'-9'		Vilson Si	IRAEA
2 to 3 ft	.30		
3 to 4 ft	.40	-	
STAPHYLEA colchica, 10'-12'		is Bladdi	
Flowers white, May-June. Fragran		orative se	ed pods.
2 to 3 ft	.50		
3 to 4 ft	.60		
4 to 5 ft	.70		
STEPHANANDRA flexuosa, 5'-6' Ci	UTLEAF	STEPHAN.	ANDRA
Graceful, compact habit; handsome	e foliage		
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	30.00
TYRAX japonica, 12'-15' White, bell-shaped, pendant flowe	no Iune	. Inly	Makes a
	rs, sund	s-sury.	Makes a
handsome specimen.	.30	2.50	
18 to 24 in			
2 to 3 ft	.35	3.00	
3 to 4 ft	.45	4.00	
4 to 5 ft	.55		
SYMPHORICARPOS racemosus, 5'-6'		Snow	BERRY
Conspicuous, white berries, attracti	ve folia	ge. Mos	t adapt-
able, but best in half shady moist le	ocations		-
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
- vulgaris, $4'-5'$		CORALI	
Coral red berries persisting through	rhout w		Good for
shade, and bank planting.	snout w	mu. U	.000 101
18 to 24 in	20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
0 W TIL	.00	~.00	~3.00

	Each	Per 10	Per 100
SYRINGA chinensis (rothomagensis),	8'-9'	CHINESE	LILAC
Slender branches, graceful habit			
Free flowering.			v
18 to 24 in	\$.35	\$3.00	
2 to 3 ft	.40	3.50	
3 to 4 ft	.45	4 00	
— — saugeana, 8'-9'		CHINESE	LILAC
Deep purple flowers.			
18 to 24 in	.35	3.00	
2 to 3 ft	.40	3.50	
3 to 4 ft	.45	4.00	
— japonica, 18'-20'	JAPANI	SE TREE	LILAC
Loose bunches creamy white flow	ers. June	July. H	andsome
foliage; grows into well-shaped sp		,	
2 to 3 ft	.40	3.50	\$30.00
3 to 4 ft	.45	4.00	35.00
4 to 5 ft	.50	4.50	00.00
	****	2.00	
— josikaea, 9 –10′		NGARIAN	
Violet flowers, June. Good shinir	ig dark g	reen folia	ge.
18 to 24 in	.30	2.50	
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.50	
— persica, 9'-10'	PERSIAN	PURPLE	LILAC
Blooms freely, lilac, May-June.			
18 to 24 in	.30		
2 to 3 ft	.35		
— villosa, 7'-8'		LATE	LILAC
Pale pinkish-lilac, June. Fragra	nt; bush	y, compa	ct habit.
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	
— vulgaris, 12'-15'	Соммог	PURPLE	LILAC
Blooms in early May.			
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
4 to 5 ft	.40	3.50	
— — alba, $12'-15'$	Соммо	N WHITE	LILAC
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	
3 to 4 ft	.40	3.50	

FRENCH LILACS—NAMED VARIETIES

These are all grown from cuttings and are on their own roots, which is the best way Lilacs can be grown, as they will not sucker. It is the most expensive way to grow them, but our prices compare favorably with the cheap, grafted stock. These Named Lilacs generally grow from 6'-12' in height, depending on the variety and locality.

	Each	Per 10
18 to 24 in	\$.40	\$3.50
2 to 2½ ft	.45	4.00
$2\frac{1}{2}$ to 3 ft	.50	4.50
3 to 4 ft		5.50

Alphonse Lavalle, double light purple Charles the Tenth, reddish purple, single Ludwig Spaeth, single reddish purple Michel Buchner, double lilac Marie Le Graye, single white Mme. Lemoine, double white Mme. Casimir Perrier, double white President Grevy, double blue

Rubra de Marly, single light blue Wm. Robinson, double violet pink

TARABIV C' 40/ 41/		Per 10	
TAMARIX africana, 12'-14'		ICAN TAN	
Pink, April-May. Has feathery, effective near water—thrives at sea	gray-gre	en ionage	e. very
2 to 3 ft	\$.25	\$2.00	\$15.00
	.30	2.50	\$15.00 20.00
3 to 4 ft	.35	3.00	25.00
— gallica, 8'-9'		ENCH TAI	
Light pink, May-July, blue-green f		ENCH IA	MARIA
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
— pentandra (aestivalis), 10'-12'		AMEN TAI	
Deep rose, flowers late.			
18 to 24 in	.25		
2 to 3 ft	.30		
3 to 4 ft	.35		
VIBURNUM acerifolium, 4'-5'	MAPLEL	EAF VIBU	RNUM
White, May-June. Black fruits, r purple in autumn; good for dry sh	naple-lik	e leaves.	turning
purple in autumn; good for dry sha	adv plac	es.	
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	
— americanum (oxycoccos), 8'-9' Amer	RICAN C	ANDERRY	RUSH
Bright scarlet berries in large bund	hes, per	sisting all	winter.
18 to 24 in	.30	2.50	***********
2 to 3 ft	.35	3.00	
3 to 4 ft	.45	4.00	
— cassinoides, 5'-6'		WITHE	-Ron
White, June-July. Berries pink,	changi		
Rich autumn coloring; splendid for	massin	and nea	r water.
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3 00	
3 to 4 ft	.40	3.50	
- dentatum, 10'-12'		Arrow-	Woon
White, May-June. Berries blue	-black.		
purple and red; thrives in wet soil.			
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.35	$3\ 00$	25.00
3 to 4 ft	.40	3.50	30.00
— dilatatum, 8'-9'	Lin	DEN VIBU	RNUM
White, May-June. Scarlet showy			
some and valuable.	1	Ü	
18 to 24 in	.35	3.00	
2 to 3 ft	.40	3.50	
3 to 4 ft	.45	4.00	
lantana, 15'-18'	$\mathbf{W}_{\mathbf{A}}$	YFARING	TREE
White, May-June. Handsome, da			
Berries red, changing to black.	0		
18 to 24 in	35	3.00	25.00
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.45	4.00	35.00
4 to 5 ft	.50	4.50	
rugosum, 15'-18' Wrinklei	LEAF WA	YFARING	$\mathbf{T}_{\mathbf{R}\mathbf{E}\mathbf{E}}$
Has larger and more wrinkled leave	es.		
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	
3 to 4 ft	.40	3.50	
4 to 5 ft	.45	4.00	TO DE
- lentago, 18'-20'	:i 1	NANNYE	
White, May-June. Handsome, sh		ives. Dit	ıe-black
fruits. Splendid shrub for massing	.30	2.50	20.00
18 to 24 in 2 to 3 ft	.35	$\frac{2.50}{3.00}$	25.00
3 to 4 ft	.40	3.50	30.00
4 to 5 ft	.45	$\frac{3.50}{4.00}$	35.00
± 00 0 1t	.10	1.00	00.00

VIBURNUM—continued		Per 10	Per 100
— molle, 10'–12'		JCKY VIB	
Larger, darker green leaves, but o	therwis	e similar	to "den-
tatum."	A 00		
18 to 24 in	\$.30	\$2.50	\$20.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	30.00
4 to 5 ft	.45	4.00	
— opulus, 9'-10' Europ	PEAN CI	RANBERRY	Виян
18 to 24 in	.30	2.50	20011
9 to 9 ft	.35	3.00	
2 to 3 ft		RANBERR	Y DITOIT
Useful edging or facing shrub. Rare			
the Cim	ay nowe		compact.
4 to 6 in	.20	1.50	
6 to 8 in	.25	2.00	
8 to 10 in	.30	2.50	
— sterile, 9'–10'	Cox	IMON SNO	TTAGT
Has showy, round head of white flo			
18 to 24 in	.30	2.50	•
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.50	
– prunifolium, 10'–12'		Brace	CKHAW
Pure white flowers, April-June. Bl	ue-black	z glancon	s herries
Sturdy habit; handsome shrub.	uc-biaci	x, graucou	s bellies.
	0=	2.00	
18 to 24 in	.35	3.00	
$2 \text{ to } 2\frac{1}{2} \text{ ft } \dots$.45	4.00	
– sieboldi (japonicum), 9′–10′	SIE	BOLD VIB	TRNITM
White, May-June. Berries pink, c	hanging	to black	Hand-
some, large, dark green leaves. Vi	gorone	, to black	. Hand-
18 to 24 in	.30	2.50	
		3.00	•
2 to 3 ft	.35		
3 to 4 ft	.40	3.50	
- tomentosum, 7'-8'	OUBLE	FILE VIBU	IRNUM
Flat heads of white flowers, June. B	erries r	ed to blac	c. Good
foliage.		10 5140	0004
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	
3 to 4 ft	.40	3.50	
— — plicatum, 7'–8	JAPAN	VESE SNO	WBALL
Showy white flowers in balls, June.		lsome foli	
purple autumn coloring.	IIIII	isome ron	450
12 to 18 in	.30	2.50	20.00
18 to 24 in	.40	$\frac{2.50}{3.50}$	30.00
		$\frac{3.30}{4.00}$	30.00
2 to 2½ ft	.45		
$2\frac{1}{2}$ to 3 ft	.50	4.50	
3 to 4 ft	.60	5.50	
VITEX agnus-castus, 4'-5'	LILA	c Chaste	-Tree
Dainty looking shrub; clusters of			
Gray-green, star-shaped leaves; pro	ofere en	nny locat	ion
			.1011.
18 to 24 in	.20	1.50	
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	
WEIGELA amabilis, 7'-8		Rose We	CIGELA
Light pink.		TOOL WI	
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
		3.50	
4 to 5 ft	.40	3.50	
— candida, 7'-8'	V	VHITE WE	IGELA
Large, pure white flowers.	,	112	
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	30.00
	.45	$\frac{3.30}{4.00}$	50.00
4 to 5 ft	.40	±.00	

WEIGELA—continued	Fach	Per 10	Por 100
Eva Rathke, 4'-5'	RED FLOV		
Carmine, June-August. Most fl	oriferous.	TERED III	AGE EL
12 to 18 in	. \$.30	\$2.50	
18 to 24 in		3.00	
2 to 2½ ft		3.50	
2½ to 3 ft		4.00	
3 to 4 ft	55 Cp	5.00 IMSON WE	CICEL A
Crimson, June. Free flowering.	Ch	IMSON WE	IGELA
2 to 3 ft		3.00	
3 to 4 ft			
- lavalle, 7'-8' Bright	Crimson 1	FLWD. WE	IGELA
Bright crimson.	20	2.50	
2 to 3 ft	30	2.50	
- Mme. Billard	30	3.00	
18 to 24 in	25	2.00	
2 to 3 ft		2.50	
3 to 4 ft	35	3.00	
— nana variegata, 4'-5' V. Pale pink flower; variegated lea	ARIEGATED	LEAF WE	EIGELA
Pale pink flower; variegated lear	ves; dwarf	f, compact	growth.
18 to 24 in	35	3.00	\$25.00
2 to 2½ ft		3.50	
2½ to 3 ft		$\frac{4.00}{4.50}$	$35.00 \\ 40.00$
3 to 4 ft	50	PINK WI	
Showy, pink flowers freely produ	ced. June.		
18 to 24 in		2.00	
2 to 3 ft	30	2.50	20.00
3 to 4 ft	35	3.00	25.00
ZANTHORHIZA apiifolia, 2'-3'		YELLOV	
Good ground cover. Will succe	ed on dry,	sandy soi	I, banks,
etc. Small purplish flowers, Ma		1.50	10.00
12 to 15 in		$\frac{1.50}{2.00}$	$10.00 \\ 15.00$
18 to 24 in	30	2.50	20.00
CLIMBING PLANTS	S AND	VINES	
	Each	Per 10	Per 100
ACTINIDIA arguta, 20'-30'		OWER ACT	
Greenish white, July. Rich,			
berries.			
18 to 24 in		\$3.00	
2 to 3 ft	40	3.50	
3 to 4 ftAKEBIA quinata, 15'-20'	45	4.00 iveleaf A	KEDIA
A dainty, beautiful vine, purpl	e flower		
leaves, persisting until winter.	c nower, a	may. De	cp green
2 year	30		
3 year	40		
AMPELOPSIS quinquefolia, 30'-50'		rginia Cr	EEPER
Valuable for rich, fiery autumn		1.00	e 00
2 year light, 18 to 24 in		$\frac{1.00}{1.60}$	$\frac{6.00}{12.00}$
2 year medium, 2 to 3 ft — engelmanni, 30'-40'		LMANN CR	
A good, self-clinging woodbine;			EELER
2 year light, 18 to 24 in	15	1.20	8.00
2 year medium, 2 to 3 ft		1.80	15 00
- veitchi, 40'-50'	J_{AP}	ANESE CR	
Brilliant autumn coloring, bl	ue berrie	s, turning	g black;
closely self-clinging.	1 =	1.00	10.00
1 year light, 12 to 15 in	15	$\frac{1.20}{1.70}$	10.00 15.00
1 year med., 15 to 18 in 1 year 1st (l., 18 to 24 in		2.20	20.00
2 year med., 18 to 24 in		2.70	30.00
, == , == , = -			

DICNONIA L'. col col		Per 10	
BIGNONIA radicans, 20'-30' Showy, trumpet-shaped flowers,		MPET CR	
Roots as it climbs.			-
1 year 18 to 24 in	\$.20 .25	$$1.50 \\ 2.00$	\$10.00 15.00
z year z to 3 п	.25 мгег Тъ	z.00 UMPETCR	
One of the handsomest of flowering			
orange yellow flowers, July and Au	igust.	ich lange t	T dbbCb OI
1 yr. grafts	.50	4.00	
1 yr. grafts	.75	6.50	
3 yr. grafts	1.00	9.00	
CELASTRUS orbiculatus (articulatus), 15'-20'	ORIENTA	L BITTERS	SWEET
Has very decorative orange and cri	mson be	rries whic	h persist
all winter. Picturesque, shrubby	growtn.	2.00	15.00
2 year	.30	$\frac{2.00}{2.50}$	20.00
3 year - scandens, 20'–25' A	MERICAL	N BITTERS	
Most adaptable vine with orange a color when cut and dried.	and red b		
1 year—18 to 24 in	.20	1.50	10.00
1 year—18 to 24 in. 2 year— 2 to 3 ft. 3 year— 3 to 4 ft	.25	2.00	15.00
3 year— 3 to 4 ft	.30	2.50	20.00
LEMATIS paniculata, 20'-25' Sw	EET AUI	UMN CLE	MATIS
White, fragrant flowers, Sept. Wo	oly seed	pods also	o attrac-
2 year first class	.25	2.00	15.00
2 year extra	.30	2.50	20.00
3 year	.35	3.00	25.00
UONYMUS (See EVERGREENS)			
IEDERA helix, 20'-50' Evergreen; good ground cover in s	hady loc	Englis ations.	
wall cover. 1 year field grown	.25	2.00	15.00
3 inch pots	.30		20.00
YDRANGEA scandens	CLIMBIN	G Hydr	NGEA
One of the best wall covers with pr	ofusion of	of white fl	lowers in
June.			
2 year, 3 inch pots	.50		
ASMINUM (See SHRUBS)			
ONICERA belgica			
2 year	.25		
- japonica (brachypoda), 15′-20′ J	APANESI	HONEYS	UCKLE
Rapid grower and blooms freely from for covering steep banks. Almost			Useful
o vr	evergree. 90	n. 1.50	10.00
3 vr	.25	2.00	15.00
2 yr	Golden	Honeysu	CKLE
2 year	.20	1.50	
2 year	.25	2.00	
· — halliana, 15'-25' Hall Ja	PANESE	Honeysu	CKLE
Grows rampantly. Blooms freel	ly, delio	ciously f	ragrant.
1 year first class	.20	1.50	10.00
2 year first class	.25	2.00	15.00
3 vear first class EVERBL	.30	2.50 Honeysu	20.00
Flowers purple outside, yellow inside			CKLE
2 year	.20	1.50	
	.25	2.00	
3 year	RUMPET	Honeysu	CKLE
2 year	.25	2.00	
3 year	.30	2.50	

	Fach	Per 10	Dor 100
LYCIUM barbarum, 10'-12' BA Violet flowers in June, followed by banks or hanging over retaining	RBARY M	[ATRIMON	Y-VINE
18 to 24 in	\$.20		\$10.00 15.00
	HINESE N	IATRIMON	
18 to 24 in		1.50 2.00	$10.00 \\ 15.00$
PUERARIA thunbergiana, 40'-50'		2.00	U VINE
1 year heavy VITIS heterophylla, 20'-30'		2.50	Berry
VITIS heterophylla, 20'-30' Handsome foliage, with splendid blue turquoise fruit. 3 inch pots		effect, b	
		USTER WI	
(seedlings), $40'-50'$ Deep blue, long clusters, May. Strained on old trees or open trell	een to be		
2 to 3 ft	.35	3.00	
3 to 4 ft		4.00 INESE WI	STERIA
Purple-blue flowers about a week	before p	receding.	SIERIA
2 to 3 ft	45	$\frac{3.00}{4.00}$	
——————————————————————————————————————	HINESE V	VHITE WI	STERIA
2 to 3 ft	.40	3.50 4.50	
- grafted (from good flg. plants)	В	LUE AND	WHITE
This is by far the best stock to pla will really bloom.	nt in wis	terias beca	ause they
18 to 24 in		3.50	
2 to 3 ft		$\frac{4.50}{5.50}$	
EVERGREEN TREES			
Princeton Evergreens have been Each time they have been given amp	transpl	anted fro	equently.
Every one is sheared into a symmetr the nursery for your individual order. prices named, unless marked with an	ical shan	e. Freshi	v dug in
*	Éach	Per 10	Per 100
ABIES concolor, 70'-80' Grows quickly and forms symm	etrical, b	wнг eautiful s	re Fir pecimen.
Large, gray-green needles.			r
18 to 24 in			
2½ to 3 ft	3.50		
3 to 4 ft — douglasi (See PSEUDOTSUGA do	4.50 ouglasi)		
nordmanniana, 60'-70'		NORDMAN	N FIR
Grows slowly when young. Flagreen above, silvery white benea 2 to 3 ft	th. 3.00	are rich	, silling
3 to 4 ft	5.00	Vermo	н Fir
Forms slender pyramid; grows v			II FIR
4 to 5 ft	5.00		
ANDROMEDA catesbaei (See LEUC	отное)	
— japonica (See PIERIS)	,		

		Each	Per 10	Per 100
	EA amoena, 3'-4'		т	
	Conspicuous purple-red flowers, Ap ich, bronze-green in winter.	orn-wa	y, Leav	es turn a
6	to 8 in.*	\$.60	\$5.50	\$50.00
	to 10 in.*	.75	6.00	55.00
	0 to 12 in	$\frac{1.00}{1.25}$	$9.00 \\ 11.50$	85.00 110.00
— hin	odegiri, 3'-4'	1.20	11.00	110.00
L	arger leaves and looser growth t			
	right carmine-pink; effective in m	asses c	or with R	hododen-
a	ron.			
	to 8 in.*	.85	8.00	75.00
	to 10 in	1.00	9.50	90.00
	0 to 12 in	$\frac{1.25}{1.50}$	$12.00 \\ 14.00$	110.00
ma	crantha, $2\frac{1}{2}'-3'$		Salmon A	71151
A	beautiful plant, with large flowers			
a	nd not at one time like the preced	ling.	-	
	to 8 in	\$.60	\$5.50	\$50.00
	to 10 in	.75	6.00	55.00
BEKE	BERIS ilicifolia, 5'-6' Holly-like leaves, persisting unt	H Henry	OLLY BAR	RBERRY
	lowers yellow.	n new	Tonage	appears
1	5 to 18 in	.55		
	8 to 24 in	.65		
	to $2\frac{1}{2}$ ft	.75		
RIOI	A orientalis, 20'–25' Rather stiff, columnar habit; brigh	URIENT	AL ARBOI	RVITAE
, 1	vinter; a good accent plant.	t green	ionage,	oronze in
i	8 to 24 in	.75	6.50	55.00
	to 2½ ft	1.00	9.00	80.00
	1/2 to 3 ft	1.75	16.50	155.00
	to 4 ft	$\frac{2.50}{3.50}$	$24.00 \\ 34.00$	230.00
	aurea nana, 2½'-3' BERCKMAN			RYTTAE
	gem for dwarf planting; compact			
g	olden yellow foliage. Especially g	good for	r formal	work and
	dging.	0.5	7 50	
	6 to 10 in 0 to 12 in	$\begin{array}{c} .85 \\ 1.00 \end{array}$	$7.50 \\ 9.00$	
	2 to 15 in	1.25	11.50	
	5 to 18 in	1.50		
	compacta, 3'-4'		OLD ARBO	
	Forms a compact, oval-shaped spe	ecimen;	good, fr	esh green
_	olor. 2 to 15 in	.75		
	elegantissima, 7'-8' Yello		IMN ARBO	RVITAE
A	Assumes a rich, deep golden bronze o	color in	winter.	Compact
e	olumnar.			
	5 to 18 in	1.25		
9	8 to 24 in	$\frac{1.50}{2.50}$		
2	$\frac{1}{2}$ to 3 ft	3.25		
	sedale, 3'-4'	$\mathbf{R}\mathbf{c}$	SEDALE I	IYBRID
	Fine foliage; soft texture.			
	8 to 24 in	1.50	_	
1		/ 15/	Bo	XWOOD
BUXU	US sempervirens (bush form), 12	-19		
BUXU	Iseful for formal hedges.		4 00	20 OC
BUXU U 8	Useful for formal hedges. 3 to 10 in.*	.50 .65	4.00 5.50	
1 BUXU U 8 1	Useful for formal hedges. 8 to 10 in.*	.50 .65 .80	$\frac{5.50}{7.00}$	45.00
1 BUXU 8 1 1	Useful for formal hedges. 3 to 10 in.*	.50 .65	5.50	30.00 45.00 60.00

BUXUS—continued — — suffruticosa, 3'-4'		Per 10	Per 100
Extensively used for edging.		,	T DOA
3 to 4 in *		\$ 1.00	\$ 6.00
3 to 4 in.*		1.50	
6 to 8 in *		3.50	
8 to 10 in.*		5.00	19.00
COTONEASTER buxifolia	A *A		
2 year, 3'' pots	\$.50	4.00	
— horizontalis davidiana, $1'-1\frac{1}{2}'$	Rock	Cotoni	
Small box-like leaves; bright red rocks.	berries;	effective	e among
2 year, 3'' pots	.50	4.00	
— microphylla, 1½'–2'		Rock	SPRAY
Very small leaves, very deep green. preceding.	Rather	more bu	shy than
2 year, 3'' pots	.50	4.00	
— — thymifolia		COTONE	CACTED
2 year, 3" pots		4.00	LASIER
CDATAECUS numacantha lalandi (Cas	DVD A C A		
CRATAEGUS pyracantha lalandi (See			
DAPHNE cneorum, 1'		Rose D	
Gray-green foliage, low spreading	. Pretty	pink fl	owers in
April-May. Delightful fragrance.			
6 to 8 in	.65	5.50	
8 to 10 in	.75	6.50	
10 to 12 in	.85	7.50	
10 to 12 in	ERGREEN	BURNIN	GBUSH
Lustrous, deep green leaves; upi	right hus	hy habi	t· needs
winter protection here.	ight bus	my naoi	t, necus
winter protection here.	9 =	0 50	
8 to 10 in*	.35	2.50	00.00
10 to 12 in	.50	4.00	30.00
19 to 15 in*			55.00
2.0 to 10 III	.13	6.50	33.00
15 to 18 in.*	1.00	9.00	33.00
15 to 18 in.*	1.00 Spread	9.00 ING EUO	NYMUS
10 to 12 in*	1.00 Spread rather lo	9.00 9.00 ING EUO ose shru	NYMUS b; leaves
Grows vigorously, forming broad,	rather lo	ose snru	o, leaves
persist until late winter. Orna	rather lo	ose snru	o, leaves
persist until late winter. Orna among denser conifers.	mental f	ose snru	o, leaves
persist until late winter. Orna among denser conifers. 12 to 15 in.*	mental f	ose snru	o, leaves
persist until late winter. Orna among denser conifers. 12 to 15 in.*	mental f	ose snru	o, leaves
persist until late winter. Orna among denser conifers. 12 to 15 in *	.35 .45	ruits.	o; leaves Effective
persist until late winter. Orna among denser conifers. 12 to 15 in.* 15 to 18 in.* 18 to 24 in.* radicans, climbing to 15'	.35 .45 .55	ruits.	o; leaves Effective
persist until late winter. Orna among denser conifers. 12 to 15 in.*	.35 .45 .55 Wring low	ruits.	o; leaves Effective
persist until late winter. Orna among denser conifers. 12 to 15 in.*	.35 .45 .55 Wring low	ruits. INTERCR	Effective EEPER so useful
persist until late winter. Orna among denser conifers. 12 to 15 in.*	.35 .45 .55 Wring low	ruits. INTERCR	Effective EEPER so useful
persist until late winter. Orna among denser conifers. 12 to 15 in.*	.35 .45 .55 Wring low	ruits. INTERCR	Effective EEPER so useful
persist until late winter. Orna among denser conifers. 12 to 15 in *. 15 to 18 in *. 18 to 24 in *. — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in *, 2 year, bushy. 12 to 15 in *, 3 year, bushy.	.35 .45 .55 Wring low ens. .20 .25	ruits. INTERCR walls, al. 1.50 2.00	EEPER so useful
persist until late winter. Orna among denser conifers. 12 to 15 in.* 15 to 18 in.* 18 to 24 in.* radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy 12 to 15 in.*, 3 year, bushy - acutus	rather formental f .35 .45 .55 Wring lowens20 .25 PLEAF W	INTERCR walls, al 1.50 2.00 INTERCR	EFFER so useful 10.00 15.00 EEPER
persist until late winter. Orna among denser conifers. 12 to 15 in.*	rather formental f .35 .45 .55 Wring lowens20 .25 PLEAF W	INTERCR walls, al 1.50 2.00 INTERCR	EFFER so useful 10.00 15.00 EEPER
persist until late winter. Orna among denser conifers. 12 to 15 in.*	rather formental f .35 .45 .55 Wring lowens20 .25 PLEAF Welleaves,	INTERCR walls, al 1.50 2.00 INTERCR	EFFER so useful 10.00 15.00 EEPER
persist until late winter. Orna among denser conifers. 12 to 15 in *. 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. 12 to 15 in.*, 3 year, bushy. — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.* 2 year.	rather formental f .35 .45 .55 Wring low ens20 .25 .PLEAF W leaves, v	INTERCR walls, al 1.50 2.00 INTERCR	EFFER so useful 10.00 15.00 EEPER
persist until late winter. Orna among denser conifers. 12 to 15 in.* 15 to 18 in.* 18 to 24 in.* radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. 12 to 15 in.*, 3 year, bushy. acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year.	rather formental f .35 .45 .55 Wring lowens20 .25 PLEAF We leaves, v .20 .25	INTERCR walls, al 1.50 2.00 INTERCR white ve	EEFER so useful 10.00 15.00 EEPER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.*	rather formental f .35 .45 .55 Wring low ens20 .25 PLEAF W. leaves, v .20 .25 LOSSY W	INTERCR walls, al 1.50 2.00 INTERCR white ve	EEFER so useful 10.00 15.00 EEPER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.*	rather formental f .35 .45 .55 Wing low ens20 .25 PLEAF W .20 .25 .LOSSY W	INTERCR walls, al 1.50 2.00 INTERCR white ve	EEFER so useful 10.00 15.00 EEPER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.*	rather formental f .35 .45 .55 Wing low ens20 .25 PLEAF W .20 .25 .LOSSY W	INTERCR walls, al 1.50 2.00 INTERCR white ve	EEFER so useful 10.00 15.00 EEPER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.*	rather formental f .35 .45 .55 Wing low ens20 .25 PLEAF W .20 .25 .LOSSY W	INTERCR walls, al 1.50 2.00 INTERCR white ve	EEFER so useful 10.00 15.00 EEPER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.*	rather formental f .35 .45 .55 Wing low ens20 .25 PLEAF W .20 .25 .LOSSY W	INTERCR walls, al 1.50 2.00 INTERCR white ve	EEFER so useful 10.00 15.00 EEPER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.* 15 to 18 in.* 18 to 24 in.* radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergres to 12 in.*, 2 year, bushy 12 to 15 in.*, 3 year, bushy A graceful form, with long narrow plish underneath. 12 to 15 in., * 2 year. 15 to 18 in., * 3 year. — carrieri Has large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in., * 2 year. 15 to 18 in., * 3 year.	rather formental f .35 .45 .55 Wring low ens20 .25 PLEAF We leaves, v .20 .25 LOSSY Wushy hab .25 .30 .35	INTERCR walls, al 1.50 2.00 INTERCR white ve	EEFER so useful 10.00 15.00 EEFER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.* 15 to 18 in.* 18 to 24 in.* radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergres to 12 in.*, 2 year, bushy 12 to 15 in.*, 3 year, bushy A graceful form, with long narrow plish underneath. 12 to 15 in., *2 year. 5 to 18 in.* Has large, shiny, pointed leaves; be to 12 in.* 12 to 15 in., *2 year. 15 to 18 in., *3 year. VARIEGATED	rather formental f .35 .45 .55 Wring low ens20 .25 PLEAF W20 .25 LOSSY W25 .30 .35 LEAF W.	INTERCR walls, al 1.50 2.00 INTERCR white ve 2.50 3.00 INTERCR it.	EEFER so useful 10.00 15.00 EEFER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.* 13 to 18 in.* 18 to 24 in.* radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergres to 12 in.*, 2 year, bushy. 12 to 15 in.*, 3 year, bushy.	rather formental f .35 .45 .55 Wring low ens20 .25 PLEAF W20 .25 LOSSY W25 .30 .35 LEAF W.	INTERCR walls, al 1.50 2.00 INTERCR white ve 2.50 3.00 INTERCR it.	EEFER so useful 10.00 15.00 EEFER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.* 15 to 18 in.* 18 to 24 in.*	mental f .35 .45 .55 Wring low ens20 .25 PLEAF Write average with the service of the service	INTERCR walls, al 1.50 2.00 INTERCR white ve INTERCR 3.00 2.50 3.00 INTERCR ind pink	EEFER so useful 10.00 15.00 EEFER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.* 15 to 18 in.* 18 to 24 in.*	rather formental f .35 .45 .55 Wring low ens20 .25 PLEAF W leaves, v .20 .25 LOSSY W ushy hab .25 .30 .35 LEAF W h white a	INTERCR walls, all 1.50 2.00 INTERCR white ve 1.50 3.00 INTERCR int. 2.50 3.00 INTERCR ind pink 1.50	EEFER so useful 10.00 15.00 EEFER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.* 15 to 18 in.* 18 to 24 in.*	rather formental f .35 .45 .55 .Wring lowens20 .25 .PLEAF We leaves, v .20 .25 .LOSSY Wushy hab .25 .35 .LEAF With white a .20 .25	INTERCR walls, al 1.50 2.00 INTERCR white ve 2.50 3.00 INTERCR and pink 1.50 2.00 2.50 3.00 INTERCR and pink 1.50 2.00	EEFER so useful 10.00 15.00 EEFER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.*. 15 to 18 in.*. 18 to 24 in.*. - radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. 12 to 15 in.*, 3 year, bushy. - acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. - carrieri Has large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. - variegatus VARIEGATED Leaves veined and marked yellowis ing vine. 8 to 12 in.* 2 yr. bushy. 12 to 15 in.* 3 yr. bushy.	rather formental f .35 .45 .55 Wring low ens20 .25 PLEAF W leaves, v .20 .25 LOSSY W ushy hab .25 .30 .35 LEAF W h white a	INTERCR walls, al 1.50 2.00 INTERCR white ve 2.50 3.00 INTERCR and pink 1.50 2.00 2.50 3.00 INTERCR and pink 1.50 2.00	EEFER so useful 10.00 15.00 EEFER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.* 15 to 18 in.* 18 to 24 in.*	mental f .35 .45 .55 Wring low ens20 .25 PLEAF Wright leaves, v .20 .25 LOSSY About 1.0 .25 LOSSY About 2.5 LEAF Wright white a .20 .25 LEAF Wright leaves, v	INTERCR walls, al 1.50 2.00 INTERCR white ve INTERCR it. 2.00 2.50 3.00 INTERCR ind pink 1.50 2.00 INTERCR	EEPER so useful 10.00 15.00 EEPER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.* 2 year. 15 to 18 in., 3 year. — carrieri Has large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in., 2 year. 15 to 18 in., 3 year. — carrieri Has large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in., 2 year. 15 to 18 in., 3 year. — variegatus Leaves veined and marked yellowis ing vine. 8 to 12 in.* 2 yr. bushy. 12 to 15 in.* 3 yr. bushy. 12 to 15 in.* 3 yr. bushy. 12 to 15 in.* 3 yr. bushy. — vegetus, 3'-4' BI Bushy, interesting growth.	rather formental f .35 .45 .55 Wring low ens20 .25 PLEAF Wright leaves, v .20 .25 LOSSY Wushy hab .25 .30 .35 LEAF Wright white a .20 .25 GLEAF Wres, roun	INTERCR walls, al 1.50 2.00 INTERCR white ve INTERCR oit. 2.00 2.50 3.00 INTERCR ind pink 1.50 2.00 INTERCR ind, dull	EEPER so useful 10.00 15.00 EEPER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.* 15 to 18 in.* 18 to 24 in.* —radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergres to 12 in.*, 2 year, bushy. —acutus Share A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. —carrieri GHas large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. —variegatus Variegatus Leaves veined and marked yellowis ing vine. 8 to 12 in.* 2 yr. bushy. 12 to 15 in.* 3 yr. bushy. 13 to 15 in.* 3 yr. bushy. 14 to 15 in.* 3 yr. bushy. 15 to 18 in.* 3 yr. bushy. 16 to 15 in.* 3 yr. bushy. 17 to 15 in.* 3 yr. bushy. 18 Bushy, interesting growth. Leave Bright scarlet fruits, freely process.	rather formental f .35 .45 .55 Wring low ens20 .25 PLEAF Wright leaves, v .20 .25 LOSSY Wushy hab .25 .30 .35 LEAF Wright white a .20 .25 GLEAF Wres, roun	INTERCR walls, al 1.50 2.00 INTERCR white ve INTERCR oit. 2.00 2.50 3.00 INTERCR ind pink 1.50 2.00 INTERCR ind, dull	EEPER so useful 10.00 15.00 EEPER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.* 15 to 18 in.* 18 to 24 in.* radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergres to 12 in.*, 2 year, bushy. -acutus Shar A graceful form, with long narrow plish underneath. 12 to 15 in., 3 year. 5 to 18 in., 3 year. -carrieri GHas large, shiny, pointed leaves; by 8 to 12 in.* 12 to 15 in., 2 year. 15 to 18 in., 3 year. -carrieri GHas large, shiny, pointed leaves; by 8 to 12 in.* 12 to 15 in., 3 year. 15 to 18 in. 3 year. -variegatus Variegated Leaves veined and marked yellowis ing vine. 8 to 12 in.* 2 yr. bushy. 12 to 15 in.* 3 yr. bushy. -vegetus, 3'-4' BI Bushy, interesting growth. Leav Bright scarlet fruits, freely proceed.	rather formental f .35 .45 .55 .Wring low ens20 .25 .PLEAF W. leaves, v .25 .LOSSY W. ushy hab .25 .30 .35 .LEAF W. h white a .20 .25 .CLEAF W. h white a .20 .25 .CLEAF W. h white a .20 .25 .CLEAF W. h white a	INTERCR walls, al 1.50 2.00 INTERCR white ve 1.50 3.00 INTERCR and pink 1.50 2.00 INTERCR and pink 1.50 4.00 INTERCR and, dull landsom	EEPER so useful 10.00 15.00 EEPER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.* 15 to 18 in.* 18 to 24 in.* radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergres to 12 in.*, 2 year, bushy. -acutus Shar A graceful form, with long narrow plish underneath. 12 to 15 in., 3 year. 5 to 18 in., 3 year. -carrieri GHas large, shiny, pointed leaves; by 8 to 12 in.* 12 to 15 in., 2 year. 15 to 18 in., 3 year. -carrieri GHas large, shiny, pointed leaves; by 8 to 12 in.* 12 to 15 in., 3 year. 15 to 18 in. 3 year. -variegatus Variegated Leaves veined and marked yellowis ing vine. 8 to 12 in.* 2 yr. bushy. 12 to 15 in.* 3 yr. bushy. -vegetus, 3'-4' BI Bushy, interesting growth. Leav Bright scarlet fruits, freely proceed.	mental f .35 .45 .55 Wring low ens20 .25 PLEAF Wright leaves, v .20 .25 LOSSY Washy hab .25 .20 .25 LEAF Wright white a .20 .25 CLEAF Wright white a .25 CLEAF Wright white a .25 CLEAF Wright white a .25	INTERCR walls, al 1.50 2.00 INTERCR white ve INTERCR it. 2.00 2.50 3.00 INTERCR ind pink 1.50 2.00 INTERCR d, dull Iandsom 2.00	EEPER so useful 10.00 15.00 EEPER ins, pur-
persist until late winter. Orna among denser conifers. 12 to 15 in.* 15 to 18 in.* 18 to 24 in.* —radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergres to 12 in.*, 2 year, bushy. —acutus Share A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. —carrieri GHas large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. —variegatus Variegatus Leaves veined and marked yellowis ing vine. 8 to 12 in.* 2 yr. bushy. 12 to 15 in.* 3 yr. bushy. 13 to 15 in.* 3 yr. bushy. 14 to 15 in.* 3 yr. bushy. 15 to 18 in.* 3 yr. bushy. 16 to 15 in.* 3 yr. bushy. 17 to 15 in.* 3 yr. bushy. 18 Bushy, interesting growth. Leave Bright scarlet fruits, freely process.	rather formental f .35 .45 .55 .Wring low ens20 .25 .PLEAF W. leaves, v .25 .LOSSY W. ushy hab .25 .30 .35 .LEAF W. h white a .20 .25 .CLEAF W. h white a .20 .25 .CLEAF W. h white a .20 .25 .CLEAF W. h white a	INTERCR walls, al 1.50 2.00 INTERCR white ve 1.50 3.00 INTERCR and pink 1.50 2.00 INTERCR and pink 1.50 4.00 INTERCR and, dull landsom	EEPER so useful 10.00 15.00 EEPER ins, pur-

*	Each		
ILEX crenata, 8'-10'		PANESE	
Box-like leaves, rich, deep green, ar	nd leath	ery. Stif	f branch-
ing, makes a good hedge. Black be	erries.		
12 to 15 in	\$.75	\$6.50	
15 to 18 in	1.00	9.00	
18 to 24 in	1.50		
UNIPER chinensis oblonga 7'-8'			
Forms a broad, irregular, pyramic	d with fo	eathery l	oranches.
Grayish foliage.		•	
18 to 24 in	1.50		
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$	2.25		
2½ to 3 ft	2.50		
microphylla, 6'-8' SMALL	-LEAF J.	APANESE	Holly
Smaller leaves and more hardy tha	n preced	ling.	
12 to 15 in	$^{1}.75$	6.50	
15 to 18 in	1.00	9.00	
18 to 24 in	1.50	14.00	
2 to 3 ft	2.25	21.50	
3 to 4 ft	5.00		
4 to 5 ft	6.00		
– glabra, 5′–6′		INE	BERRY
Shining, dark green leaves, purplish	h in win	ter; black	k berries.
Useful for shady spots, also succeed	ds in sui	n.	
12 to 15 in	.75		
— opaca, 25′–30′	Ax	IERICAN	Holly
Does best in moist partially shade			difficult
to transplant.			
18 to 24 in	1.50		
2 to 3 ft	2.00		
– pfitzeriana, \tilde{o}' - $6'$	P	FITZER JU	INIPER
Broad, bushy habit. Gray-green	foliage.	giving	featherv
Broad, bushy habit. Gray-green appearance. A most adaptable,	hardy e	evergreen	highly
recommended.	·	Ü	, , ,
12 to 18 in	1.50	14.00	\$130.00
18 to 24 in	1.70	16.00	$150 \ 00$
2 to 2½ ft	2.50	24.00	230.00
$2\frac{1}{2}$ to 3 ft	3.50	34.00	
3 to 4 ft	5.00		
– communis, 2'–2½'	Co	mmon Ju	NIPER
Forms a vase-shaped bush.			
18 to 24 in	1.40		
2 to $2\frac{1}{2}$ ft	1.65		
$2\frac{1}{2}$ to 3 ft	2.15		
3 to 4 ft	2.65		
- — aurea, $1'-1\frac{1}{2}$ Gol	DNE CO	mmon Ju	NIPER
Low spreading habit. Golden folia	age, part	icularly	bright in
spring.	1		
18 to 24 in	1.50		
2 to 2½ ft	1.75		
2½ to 3 ft	2.25		
3 to 4 ft	2.75		
– — canadensis, 2½'-3'	\mathbf{C}_{A}	anada Ju	NIPER
Forms a low vase-shaped bush. I	Leaves d	ark gree	n above,
bluish underneath.		_	
12 to 15 in	1.00		
15 to 18 in	1.20		
18 to 24 in	1.40		
2 to 2½ ft	1.65		
— cracovica, 4'-5'	P	olish Ju	NIPER
Upright, branching from ground, ma			
18 to 24 in	1.50	-	
$2 \text{ to } 2\frac{1}{2} \text{ ft } \dots$	2.00		
$2\frac{1}{2}$ to 3 ft	2.50		

JUNIPER—continued	Each		Per 100
hibernica, 7'-8'	· · · · · · · · ·	IRISH J	
A very narrow pyramid. Useful 12 to 15 in	\$.60		ке епест.
15 to 18 in	.75	\$5.00 6.50	
18 to 24 in	1.00	9.00	
2 to 2½ ft	1.25	11.50	
2½ to 3 ft	1.50	14.00	
	WARF SW	edish Ju	UNIPER
12 to 15 in	.90	8.00	
15 to 18 in	1.25	11.50	
— excelsa stricta, 4'-5'	SPINY (GREEK JU	INIPER
Compact, well-shaped pyramid. I			
useful for formal effects.	0 0		
10 to 12 in	1.00	9.00	
12 to 15 in	1.25	11.50	
15 to 18 in	1.75	16.50	
18 to 24 in	2.50	24.00	
2 to 2½ ft	3.00		~
- horizontalis (sabina prostrata), 1'-1	1/2′ C	REEPING	SAVIN
Branches trail along ground. Ac ground covering.		to rockw	ork and
2 to 2½ ft	2.00		
2½ to 3 ft	2.50	_	
— — douglasi, $1'-1\frac{1}{2}'$		EGAN JU	
Long branches trailing along grou	ind. St	eely-blue	foliage.
A splendid ground cover; also effect purple hue in winter.	ive amoi	ng rock.	Distinct
12 to 15 in	1.00		
15 to 18 in	1.50		
18 to 24 in	2.00		
— japonica, 3'-4'		ANESE JU	NIPER
Low grower, spreading branches,			
Adapted to rock planting. Grows		,	,
12 to 15 in	1.00		
— — aurea variegata, 2'-21/2' GOLDEN	VARIE	GATED JU	NIPER
12 to 15 in	1.15		
— sabina, 6'-7'		Savin Ju	NIPER
Dense, dark green foliage. Spre		-	
irregular vase-shaped bush.	Ü		0
10 to 12 in	.85	7.50	
12 to 15 in	1.00	9.00	\$ 80.00
15 to 18 in	1.35	12.50	115.00
18 to 24 in	2.00	19.00	
2 to $2\frac{1}{2}$ ft	2.50		
— — tamariscifolia, 1'-11/2'		AMARIX	
Flat, spreading growth, making con	npact bu	it soft te	xture in
low evergreen planting.	1 00	0.00	
10 to 12 in	1.00	9.00	
12 to 15 in	$1.25 \\ 1.50$	11.50	
15 to 18 in	1.30	14.00	
— virginiana, 25'-30'	1:	KED	CEDAR
Forms a dense column, deep green for	onage, p	urpiisn ii	i winter.
Useful in formal work, or mixed pl	2.75	26.50	255.00
4 to 5 ft	4.00	39.00	380.00
5 to 6 ft	5.50	54.00	000100
— — glauca, 15'–20'		ER RED	CEDAP
Bluish-gray foliage. Distinct.	SILV	ER ILED	LEDAR
18 to 24 in	1.25		
18 to 24 in	$\frac{1.25}{1.85}$		
18 to 24 in			
18 to 24 in	1.85		

JUNIPER—continued — — tripartita, 4'–5'	Each Fount	Per 10	
A bushy, half upright grower with			
18 to 24 in	\$1.50		
2 to 2½ ft	2.00		
2½ to 3 ft	2.75		
3 to 3½ ft	3.50		
– waukegan (See horizontalis douglasi KALMIA latifolia, 5'-7'		JNTAIN L	
Most effective in June when the clu	violetare of	nink flow	AUREL ore open
Good foliage; like shade.	131013 01	bing now	ers open
12 to 18 in	1.25	\$11.50	
18 to 24 in	1.50	14.00	
2 to $2\frac{1}{2}$ ft	1.75	16.50	
$2\frac{1}{2}$ to 3 ft	2.25	21.50	
EUCOTHOE catesbaei, 3'-4'	DROOP	ING LEUC	OTHOE
Attractive white flowers, May. H	landsom	e, lustrou	s leaves
rich autumn coloring. Splendid fo			
12 to 15 in	.85		\$ 65.0
15 to 18 in	$\frac{1.10}{1.30}$	$10.00 \\ 12.00$	90.00 110.00
18 to 24 in		GLOSSY P	
A very attractive evergreen prive			
Not hardy in the North.	••••••••	· 61033	y icaves
2 year, 3'' pots	.50		
2 year, 3'' pots		HONEYS	UCKLE
Dwarf spreading evergreen shrub.	Not har	dy in the	e North
2 year	.50		
AAHONIA japonica, 5'-6'		NESE MA	
A broad leaved evergreen with		sımılar to	Holly
Yellow flowers in June are very shall to 24 in	1.00		
2 to 2½ ft	2.00		
NANDINA domestica 4'-6'	2.00	Nax	DINA
One of the handsomest broad-leave	d evergr		
Foliage is light in effect. Beautifu			
trusses of red berries.			
2 year, 3" pots	.50	v c	
PICEA alba, 50 ⁷ -60' Silvery foliage; develops into shape		VHITE S	
ture.	ery speci	men or ci	iose tex
12 to 15 in	.50		
15 to 18 in	.75		
18 to 24 in	1.00		
2 to 2½ ft	1.25		
– excelsa, 80′–100′		ORWAY S	
Has dark green foliage and grows			
windbreak, and also lends itself	1.00	9.00	80.00
18 to 24 in	1.00 1.25	11.50	105.00
2½ to 3 ft	1.75	$11.50 \\ 16.50$	155.00
3 to 3½ ft	2.25	21.50	205.00
3½ to 4 ft	2.75	26.50	
$3\frac{1}{2}$ to $\frac{1}{4}$ ft	HEAD N	ORWAY S	PRUCE
Grows slowly. Compact and symm	netrical.	Good for	founda
tion planting.	1.00		
10 to 12 in	1.00		
12 to 15 in	1.25		
15 to 18 in	$\frac{1.50}{2.50}$		
$2\frac{1}{2}$ to 3 ft	$\frac{2.50}{3.50}$		
- pungens, 60'-80'		LORADO S	PRUCE
Branches in distinct whorls, form			
men.	Ü		-
18 to 24 in	1.25		
2 to 2½ ft	2.00	BLUE S	
kosteri (SOLD)	KOSTER	DLUE O	PRUCE
Kosten (SULD)	KOSTER	DLUE S	PRUCE

PIERIS japonica (ANDROMEDA), 5'-6			Per 100
Thick, shiny leaves, turning bron	nze in v	vinter.	Drooping
clusters of small white flowers open Best in moist, partially shaded pla	ı in May	v. Grov	rs slowly.
12 to 15 in	\$1.00	\$ 9.00	\$ 80.00
15 to 18 in	1.50	14.00	130.00
18 to 24 in	2 25	21.50	
2 to 2½ ft	3.00		
PINUS densiflora		NESE RE	PINE
Foliage dark green. A good desirab		ty.	
18 to 24 in	1.25	11.50	105.00
2 to 2½ ft	1.50	14.00	130.00
2½ to 3 ft	1.75	16.50	155.00
3 to 3½ ft	2.25	21.50	_
— flexilis, 30'-40'	,	LIMBE	R PINE
Dark bluish green foliage; very har			
18 to 24 in	1.50		
2 to 2½ ft	2.00		
2½ to 3 ft	$2.50 \\ 3.00$		
3 to 3½ ft	3.00	3.6	D.
— montana mughus, 2½'-3'	. e 1 e	Mughe	
Forms a round-topped clump. Use foundation work.	erui for	госк ріаі	iting and
12 to 15 in	1.50		
15 to 18 in	2.00		
18 to 24 in	2.50		
2 to 2½ ft	3.50		
— nigra austriaca, 60'-70'		USTRIAN	
Rich, dark green. Vigorous, dense	grower	. Good	for back-
ground. Thrives at seashore.			
2 to 2½ ft	$\frac{2.00}{2.75}$		
 ponderosa A rapid-growing Pine, growing to la 		YELLOV	
green foliage.	trge dim	ensions.	Sirvery-
2 to 2½ ft	1 50		
$2\frac{1}{2}$ to 3 ft	2.00		
3 to 4 ft	2 50		
	~ 00	D	D
- resinosa, 50'-60' Rich green, stiff leaves; reddish	brown		PINE Vigorous,
symmetrical grower.	1 50		
$2 \text{ to } 2\frac{1}{2} \text{ ft} \dots 2\frac{1}{2} \text{ to } 3 \text{ ft} \dots \dots$	$\frac{1.50}{2.00}$		
3 to 4 ft	2.50		,
	~.00	-	
- rigida, 40'-50'	. 1 6		PINE
Irregular, picturesque habit. Usef	ul for o	iry, poor	soil and
seashore planting; quick grower.	1.50		
2 to 2½ ft	1.50		
2½ to 3 ft	$\frac{2.00}{2.50}$		
3 to 4 ft	2.30	`	
- strobus, 80'-100' Probably our most adaptable and u	ıseful pi	MHITI ine. Very	E Pine pictur-
esque when old.			
2 to 2½ ft	1.50	14.00	
2½ to 3 ft	$\frac{200}{2.50}$	19.00	
3 to 4 ft	2.30	24.00	_
— sylvestris, 25'-30'		Scotce	
A rapid-growing, handsome tree, Good for windbreaks.	especia	lly wher	young.
2 to 2½ ft	1.50	14.00	
$2\frac{1}{2}$ to 3 ft	2.00	19.00	
3 to 4 ft	2.50	24.00	

DIVIS continued	Ecol	Dor 10	Dor 100
PIVUS—continued — thunbergi	JAPANE	Per 10	PINE
A large growing tree with rich, da needles; good for grouping effects.	-		and long
2 to 2½ ft	\$1.50 2.00	$\$14.00 \\ 19.00$	
3 to 4 ft	$\frac{2.50}{2.50}$	24.00	
4 to 5 ft	3.50	Dougl.	s Fir
Very hardy; dark bluish-green color situation.	ring. Pr	efers well	l drained
18 to 24 in	1.50		
2 to 2½ ft	$\frac{2.00}{2.50}$		
3 to 4 ft	3.25		
PYRACANTHA coccinea lalandi, 9'-12			
A beautiful broad-leaved evergree orange berries in the fall. Needs 2 year, 3" pots	protecti	large clu ion in the	isters of e North.
RETINOSPORA ericoides, 3'-4'	HEATI	RETINO	
Has heather-like leaves, giving round, broad bush.	woolly	effect.	Forms a
12 to 15 in	.70	6.00	
15 to 18 in	$\frac{.90}{1.25}$	$8.00 \\ 11.50$	
— obtusa compacta, 2½'-4'		TBALL CY	PRESS
Almost spherical in shape. Good		roughou	t winter.
Very useful in foundation or forma	l work. 1.00		
15 to 18 in	1.50		
— pisifera, <i>25'-35'</i>	SA	wara Cy	PRESS
Quick grower. Loosely pyramidal		17.00	•
15 to 18 in	$\frac{1.20}{1.40}$	11.00 13.00	
2 to 2½ ft	2.00	19.00	
$2\frac{1}{2}$ to 3 ft	2.75		
3 to 3½ ft	3.50	C-	
— — aurea, 25'-35' Go Foliage bright yellow, especially in	SDring.	wara Cy	PRESS
15 to 18 in	1.40	13.00	
18 to 24 in	1.65	15.50	
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ $2\frac{1}{2} \text{ to } 3 \text{ ft.}$	$\frac{2.25}{3.00}$	21.50 2 9.00	
3 to 3½ ft	3.75		
— plumosa, 25'-35' Forms a dense cone of fine texture		LUME CY I for shear	
formal shapes.			
12 to 15 in	$\begin{array}{c} .70 \\ 1.00 \end{array}$	$\frac{6.00}{9.00}$	\$ 50.00 80.00
18 to 24 in	1.30	12.00	110.00
2 to 2½ ft	2.00	19.00	
$2\frac{1}{2}$ to $\frac{3}{5}$ ft	$2.75 \\ 3.50$		
		PLUME C	UDDEGG
	1.20	11.00	PRESS
18 to 24 in	1.75	16.50	
2 to 2½ ft	2.50		
2½ to 3 ft	3.00	C	
— — lutescens, 2½'-3' DWARF Y Forms a low, broad, round-topped branchlets.	ELLOW I bush; bri	ight yello	reress w tipped
10 to 12 in	1.00		
12 to 15 in	1.25		
15 to 18 in	1.75		

RETINOSPORA—continued		Per 10	
Has long, stringy, drooping branche		мснед Съ right greer	
Graceful and decorative.	\$1.00	\$ 9.00	
15 to 18 in	1.25	11.50	
18 to 24 in	1.75	16.50	
2 to 2½ ft	2.75		
2½ to 3 ft	3.25		
9 to 916 ft	5.00		
——— aurea, 10'-12' Golden Thre	EAD BRA	NCHED CY	PRESS
Very bright, conspicuous, golden ye than preceding.	ellow. (Grows mor	e slowly
8 to 10 in	1.00	9.00	
10 to 12 in	1.35	12.50	
12 to 15 in	1.75	16.50	
15 to 18 in	2.25		
— squarrosa veitchi, 25'-30'		Moss Cy	
Foliage blue-gray, feathery and	dense,	giving sof	t woolly
appearance. Broad pyramidal ou		nen young.	
12 to 15 in	1.00	9.00	
15 to 18 in	1.25	11.50	
18 to 24 in	1.75	16.50	
2 to 2½ ft	2.25		
RHODODENDRON carolinianum, 4'-	6'		
CAR	OLINA	RHODODEN	NDRON
Rosy-purple flowers, May-June.		act, bush	
best in moist, partly shaded places			,
12 to 18 in	1.50		
18 to 24 in	2.00		
2 to 2½ ft	2,50		
	TATEDA	RHODODE	NDDON
Large, rosy-purple flowers, May-	Inna	I arge de	nunun
leaves; prefers half-shade.	June.	Large, dec	p green
18 to 24 in	1.75		
2 to 2½ ft	2.50		
		D	
- maximum, 8'-12' Ro Beautiful light pink flowers freel	JSEBAY	RHODODE	NDRON
Tame handsome folione most of	y produ	iced in Ma	ay-June.
Large, handsome foliage, most effe	ective ii	n masses.	
18 to 24 in			
2 to 2½ ft	2.50		
2½ to 3 ft	3.25	_	**
TAXUS baccata adpressa erecta, 3'-5'	SHORTL	eaf Engli	SH YEW
Compact, upright habit. Stiff, da	ırk gree	en leaves	crowded
on branches.			
10 to 12 in	1.00	9.00	
— repandens, 18"-24" SPI	READING	3 English	Yew
Spreading, horizontal branches,	dark	blue-green	leaves.
Valuable for low planting.			
10 to 12 in	1.00	9.00	
12 to 15 in	1.25	11.50	
15 to 18 ft	1.75	16.50	
— canadensis, 2'-2½' Spreading habit. Bronzy in winter		CANADA	YEW
Spreading habit. Bronzy in winter	r. Pref	ers shade;	good for
underplanting.			_
10 to 12 in	1.00		
12 to 15 in	1.25		
15 to 18 in	1.75		
— cuspidata, 4'-5' SPR	EADING	JAPANESE	YEW
Rich, deep green leaves. Spreadin	g, bush	y habit.	Valuable
in foundation plantings. Exception	nally h	ardy.	
12 to 15 in	1.20	11.00	\$100.00
15 to 18 in	1.70	16.00	150.00
18 to 24 in	2.70	26. 00	250.00
2 to 2½ ft	3.50		

TAXUS—continued	Each	Per 10	Per 100
— — brevifolia, 2'-3'	DWARF	JAPANESE	YEW
Broad, thick leaves, blackish green	. Slow	growing a	nd irreg-
ular, spreading habit. Exceptiona			
8 to 10 in	\$.85	\$ 7.50	
10 to 12 in	$\frac{1.00}{1.35}$	$9.00 \\ 12.50$	
15 to 18 in	1.75	12.50	
15 to 18 in	_	JAPANESI	e Yew
The upright type of Taxus Cuspid	ata.		
12 to 15 in	1.25		
15 to 18 in	1.75		
18 to 24 in	2.75	4	
THUYA occidentalis, 15'-30' Slender pyramid with broad base.		an Arbor zy winter	
Good accent plant or for a hedge.	DIUIIZ	y winter	coloring.
18 to 24 in	1 00	9.00	\$ 80.00
2 to 2½ ft	1.25	11.50	105.00
$2\frac{1}{2}$ to $\overline{3}$ ft	1.75	16.50	155.00
$3 \text{ to } 3\frac{1}{2} \text{ ft } \dots$	2.25	21.50	
3½ to 4 ft	3.00		
4 to 5 ft	4.00 P. pa	ons Arboi	
Almost globe-shaped. Bright gre			
foundation planting.	cn. C	sciui iii it	Ji iliai Oi
12 to 15 in	1.00	9 00	80.00
15 to 18 in	1.25	11.50	
18 to 24 in	1.75		
— elegantissima, 10'-15' Gor	DENTIP	PED ARBO	RVITAE
Branches tipped with yellow. Rich	h, lustro	ous green.	
18 to 24 in	1.35		
2 to 2½ ft	1.75		
2½ to 3 ft	2.50		
— ellwangeriana, 4'-6'	ом Ти	MB ARBOI	RVITAE
— ellwangeriana, 4'-6' T Has heather-like leaves; dense h	oм Тни abit; s	oft, close	texture.
—— ellwangeriana, 4'-6' T Has heather-like leaves; dense h Forms low, broad, blunt pyram	oм Тни abit; s	oft, close	texture.
— ellwangeriana, 4'-6' T Has heather-like leaves; dense h	oм Тни abit; s	oft, close	texture.
—— ellwangeriana, 4'-6' T Has heather-like leaves; dense h Forms low, broad, blunt pyram coloring. 12 to 15 in	om Thuabit; said. R	oft, close ich purpl	texture.
—— ellwangeriana, 4'-6' T Has heather-like leaves; dense h Forms low, broad, blunt pyram coloring. 12 to 15 in	om Thu nabit; s nid. R .85 1.00 1.35	oft, close ich purple 7.50	texture.
—— ellwangeriana, 4'-6' T Has heather-like leaves; dense h Forms low, broad, blunt pyram coloring. 12 to 15 in	om Thu nabit; s nid. R .85 1.00 1.35 1.75	oft, close ich purpl 7.50 9.00	texture. e winter
— ellwangeriana, 4'-6' T Has heather-like leaves; dense h Forms low, broad, blunt pyram coloring. 12 to 15 in	om Thu nabit; s nid. R .85 1.00 1.35 1.75 GLO	oft, close ich purple 7.50 9.00	texture. e winter
—— ellwangeriana, 4'-6' Has heather-like leaves; dense heroms low, broad, blunt pyramicoloring. 12 to 15 in	om Thuabit; said. R85 1.00 1.35 1.75 Guerglobe s	oft, close ich purple 7.50 9.00 DBE ARBOI shaped.	texture. e winter
— ellwangeriana, 4'-6' T Has heather-like leaves; dense h Forms low, broad, blunt pyram coloring. 12 to 15 in 15 to 18 in 18 to 24 in 2 to 2½ ft — globosa, 2½'-3' Useful in formal work. Naturally 8 to 10 in	lom Thuabit; said. R85 1.00 1.35 1.75 GLe globe s65	oft, close ich purple 7.50 9.00 OBE ARBOI shaped. 5.50	texture. e winter
—— ellwangeriana, 4'-6' T Has heather-like leaves; dense h Forms low, broad, blunt pyram coloring. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —— globosa, 2½'-3' Useful in formal work. Naturally 8 to 10 in. 10 to 12 in.	lom Thu nabit; s nid. R .85 1.00 1.35 1.75 GLO globe s .65 .85	oft, close ich purple 7.50 9.00 DBE ARBOI shaped. 5.50 7.50	texture. e winter
—— ellwangeriana, 4'-6' Has heather-like leaves; dense heroms low, broad, blunt pyramicoloring. 12 to 15 in 15 to 18 in 18 to 24 in 2 to 2½ ft —— globosa, 2½'-3' Useful in formal work. Naturally 8 to 10 in 10 to 12 in 12 to 15 in	lom Thuabit; said. R85 1.00 1.35 1.75 GLe globe s65	oft, close ich purple 7.50 9.00 OBE ARBOI shaped. 5.50	texture. e winter
	om Thusalit; said. R .85 1.00 1.35 1.75 GLe globe 2 .65 .85 1.00 1.35	oft, close ich purple 7.50 9.00 DBE ARBOI shaped. 5.50 7.50 9.00	texture. e winter
—— ellwangeriana, 4'-6' Has heather-like leaves; dense heroms low, broad, blunt pyramicoloring. 12 to 15 in 15 to 18 in 18 to 24 in 2 to 2½ ft —— globosa, 2½'-3' Useful in formal work. Naturally 8 to 10 in 10 to 12 in 12 to 15 in 15 to 18 in —— hoveyi, 3'-4'	om Thus the labit; said. R .85 1.00 1.35 1.75 GL globe s .65 1.00 1.35 How	oft, close ich purple 7.50 9.00 DBE ARBOI Shaped. 5.50 7.50 9.00 VEY ARBOI	texture. e winter RVITAE
	om Thus the labit; said. R .85 1.00 1.35 1.75 GL globe s .65 1.00 1.35 How	oft, close ich purple 7.50 9.00 DBE ARBOI Shaped. 5.50 7.50 9.00 VEY ARBOI	texture. e winter RVITAE
	om Thuabit; said. R .855 1.00 1.35 1.75 GLor globe s .655 .85 1.00 1.35 Housigh. B .90 1.20	oft, close ich purple 7.50 9.00 DBE ARBOI shaped. 5.50 7.50 9.00 VEY ARBOI right green 8.00 11.00	texture. e winter RVITAE RVITAE n foliage. 70.00 100.00
	om Thuabit; said. R .85 1.00 1.35 1.75 GLA globe s .65 .85 1.00 1.35 Hoonigh. B .90 1.20 1.50	oft, close ich purple 7.50 9.00 DBE ARBOI shaped. 5.50 7.50 9.00 VEY ARBOI right gree: 8.00 11.00 14.00	texture. e winter RVITAE RVITAE n foliage. 70.00 100.00 130.00
—— ellwangeriana, 4'-6' Has heather-like leaves; dense heroms low, broad, blunt pyramicoloring. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —— globosa, 2½'-3' Useful in formal work. Naturally 8 to 10 in. 10 to 12 in. 12 to 15 in. 15 to 18 in. —— hoveyi, 3'-4' Oval in shape, nearly as broad as here 12 to 15 in. 15 to 18 in. 16 to 18 in. 17 to 18 in. 18 to 24 in. —— lutea, 10'-15' GEO	om Thuabit; said. R	oft, close ich purple 7.50 9.00 DBE ARBOI shaped. 5.50 7.50 9.00 VEY ARBOI 11.00 14.00 DDY ARBOR	RVITAE RVITAE n foliage. 70.00 100.00 130.00
—— ellwangeriana, 4'-6' Has heather-like leaves; dense heroms low, broad, blunt pyramicoloring. 12 to 15 in 15 to 18 in 18 to 24 in 2 to 2½ ft —— globosa, 2½'-3' Useful in formal work. Naturally 8 to 10 in 10 to 12 in 12 to 15 in 15 to 18 in —— hoveyi, 3'-4' Oval in shape, nearly as broad as here 12 to 15 in 15 to 18 in 15 to 18 in 15 to 18 in 16 to 18 in 17 to 18 in 18 to 24 in —— lutea, 10'-15' Geo Conspicuous golden yellow form.	om Thuabit; said. R .85 1.00 1.35 1.75 GLo globe s .65 .85 1.00 1.35 Hoonigh. B .90 1.20 1.50 . Peabo	oft, close ich purple 7.50 9.00 DBE ARBOI shaped. 5.50 7.50 9.00 VEY ARBOI 11.00 14.00 DDY ARBOR	RVITAE RVITAE n foliage. 70.00 100.00 130.00
—— ellwangeriana, 4'-6' Has heather-like leaves; dense heroms low, broad, blunt pyramicoloring. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —— globosa, 2½'-3' Useful in formal work. Naturally 8 to 10 in. 10 to 12 in. 12 to 15 in. 15 to 18 in. —— hoveyi, 3'-4' Oval in shape, nearly as broad as here 12 to 15 in. 15 to 18 in. —— lutea, 10'-15' Conspicuous golden yellow form. 15 to 18 in. —— lutea, 10'-15' Geo Conspicuous golden yellow form.	om Thuabit; said. R .85 1.00 1.35 1.75 GL Globe s .65 .85 1.00 1.35 Hoo nigh. B .90 1.20 1.50 . Peabo	oft, close ich purple 7.50 9.00 DBE ARBOI shaped. 5.50 7.50 9.00 VEY ARBOI 11.00 14.00 DDY ARBOR	RVITAE RVITAE n foliage. 70.00 100.00 130.00
ellwangeriana, 4'-6' Has heather-like leaves; dense herorms low, broad, blunt pyramicoloring. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. globosa, 2½'-3' Useful in formal work. Naturally 8 to 10 in. 10 to 12 in. 12 to 15 in. 15 to 18 in. hoveyi, 3'-4' Oval in shape, nearly as broad as here in the shape in the s	Com Thurst abit; stid. R .85 1.00 1.35 1.75 GLA Globe s .65 .65 1.00 1.35 1.00 1.35 1.00 1.35 1.00 1.35 1.00 1.50 1.50 1.50	oft, close ich purple 7.50 9.00 DBE ARBOI shaped. 5.50 7.50 9.00 VEY ARBOI 11.00 14.00 DDY ARBOR	RVITAE RVITAE n foliage. 70.00 100.00 130.00
—— ellwangeriana, 4'-6' Has heather-like leaves; dense heroms low, broad, blunt pyramicoloring. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —— globosa, 2½'-3' Useful in formal work. Naturally 8 to 10 in. 10 to 12 in. 12 to 15 in. 15 to 18 in. —— hoveyi, 3'-4' Oval in shape, nearly as broad as here 12 to 15 in. 15 to 18 in. 18 to 24 in. —— lutea, 10'-15' Geo Conspicuous golden yellow form. 15 to 18 in. 18 to 24 in. 2 to 2½ ft.	om Thuabit; said. R .85 1.00 1.35 1.75 GLA globe s .65 .85 1.00 1.35 Hoo igh. B .90 1.20 1.50 . Peabo Column 1.00 1.50 2.00	oft, close ich purple 7.50 9.00 DBE ARBOI shaped. 5.50 7.50 9.00 VEY ARBOI 11.00 14.00 DDY ARBOR	RVITAE RVITAE n foliage. 70.00 100.00 130.00
ellwangeriana, 4'-6' Has heather-like leaves; dense herorms low, broad, blunt pyramicoloring. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. globosa, 2½'-3' Useful in formal work. Naturally 8 to 10 in. 10 to 12 in. 12 to 15 in. 15 to 18 in. hoveyi, 3'-4' Oval in shape, nearly as broad as here in the shape of the sha	om Thuabit; said. R .85 1.00 1.35 1.75 GLO	oft, close ich purple 7.50 9.00 DBE ARBOI Shaped. 5.50 7.50 9.00 WEY ARBOI right grees 8.00 11.00 14.00 DDY ARBOE ar outline.	RVITAE RVITAE n foliage. 70.00 100.00 130.00
—— ellwangeriana, 4'-6' Has heather-like leaves; dense heroms low, broad, blunt pyramicoloring. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —— globosa, 2½'-3' Useful in formal work. Naturally 8 to 10 in. 10 to 12 in. 12 to 15 in. 15 to 18 in. —— hoveyi, 3'-4' Oval in shape, nearly as broad as here in the state of the state	om Thuabit; said. R .85 1.00 1.35 1.75 GLo globe s .65 .85 1.00 1.35 1.00 1.35 0.00 1.35 Howard Howard Howard House Column 1.00 1.50 2.00 2.75 Mo	oft, close ich purple 7.50 9.00 DBE ARBOI Shaped. 5.50 7.50 9.00 VEY ARBOI 11.00 DDY ARBOR ar outline.	RVITAE RVITAE n foliage. 70.00 100.00 130.00 EVITAE
ellwangeriana, 4'-6' Has heather-like leaves; dense herorms low, broad, blunt pyramicoloring. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. globosa, 2½'-3' Useful in formal work. Naturally 8 to 10 in. 10 to 12 in. 12 to 15 in. 15 to 18 in. hoveyi, 3'-4' Oval in shape, nearly as broad as here in the state of the s	om Thuabit; said. R .85 1.00 1.35 1.75 GLA Globe S .65 .85 1.00 1.35 1.00 1.35 1.00 1.35 1.00 1.35 Houside B .90 1.20 1.50 . Peabor Column 1.00 2.00 2.75 Mi	oft, close ich purple 7.50 9.00 DBE ARBOI Shaped. 5.50 7.50 9.00 WEY ARBOI 11.00 114.00 DDY ARBOI ar outline. OSS ARBOI iff branch	RVITAE RVITAE n foliage. 70.00 100.00 130.00 EVITAE
ellwangeriana, 4'-6' Has heather-like leaves; dense herorms low, broad, blunt pyramic coloring. 12 to 15 in	om Thuabit; said. R .85 1.00 1.35 1.75 GLo globe s .65 .85 1.00 1.35 1.00 1.35 0.00 1.35 Howard Howard Howard House Column 1.00 1.50 2.00 2.75 Mo	oft, close ich purple 7.50 9.00 DBE ARBOI Shaped. 5.50 7.50 9.00 WEY ARBOI 11.00 114.00 DDY ARBOI ar outline. OSS ARBOI iff branch	RVITAE RVITAE n foliage. 70.00 100.00 130.00 EVITAE
—— ellwangeriana, 4'-6' Has heather-like leaves; dense heroms low, broad, blunt pyramicoloring. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —— globosa, 2½'-3' Useful in formal work. Naturally 8 to 10 in. 10 to 12 in. 12 to 15 in. 15 to 18 in. —— hoveyi, 3'-4' Oval in shape, nearly as broad as here in the shape of the shape o	om Thuabit; said. R .85 1.00 1.35 1.75 GL globe s .65 .85 1.00 1.35 Hoo nigh. B .90 1.20 1.50 2.00 2.75 M hort, st	oft, close ich purple 7.50 9.00 9.00 OBE ARBOI Shaped. 5.50 7.50 9.00 II.00 II.00 II.00 ARBOE ar outline. OSS ARBOI iff branch yramid. 11.50 14.00	RVITAE RVITAE n foliage. 70.00 100.00 130.00 EVITAE
ellwangeriana, 4'-6' Has heather-like leaves; dense herorms low, broad, blunt pyramicoloring. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. globosa, 2½'-3' Useful in formal work. Naturally 8 to 10 in. 10 to 12 in. 12 to 15 in. 15 to 18 in. hoveyi, 3'-4' Oval in shape, nearly as broad as here in the shape of the s	Com Thu abit; said. R .85 1.00 1.35 1.75 GL/ globe s .65 .85 1.00 1.35 1.00 1.35 1.00 1.35 1.00 1.35 1.00 1.35 1.00 1.35 1.00 1.35 1.00 1.35 1.00 1.35 1.00 1.35 1.00 1.35 1.00 1.35 1.00 1.35 1.00 1.35 1.00 1.35 1.20 1.35 1.20 1.35 1.30 1.35 1.30 1.35 1.35 1.35 1.35 1.35 1.35 1.35 1.35	oft, close ich purple 7.50 9.00 DBE ARBOI Shaped. 5.50 7.50 9.00 VEY ARBOI 11.00 14.00 DDY ARBOR ar outline. 0058 ARBOI iff branch yramid. 11.50	RVITAE RVITAE n foliage. 70.00 100.00 130.00 EVITAE

	obitob1		
THUYA—continued	Each	Per 10	Per 100
	PYRAMIDA		
Retains bright green coloring t	hroughout	winter.	Narrow
columnar shape; splendid for a	ccents or	formal n	lanting
18 to 24 in	\$1.95	\$ 11.50	ianting.
2 to 2½ ft		14.00	
01/1-01	2.00		
2½ to 3 ft	2.00	19.00	
3 to 3½ ft	2.50		
3½ to 4 ft	3.50		
— — rosenthali, 6′–10′	ROSENTH	al Arbor	VITAE
Dense, rugged, columnar form.	Slow grow	er.	
15 to 18 in	1.25		
18 to 24 in	1.50		
2 to 2½ ft	1.75		
2½ to 3 ft	2.25		
— vervaeneana, 8'-12'	VEDVAEN	E ARBOR	VITAE
Variegated with greenish yellow	foliage l	brongy in	winter
Broadly pyramidal.	Tonage,	oronzy m	winter.
18 to 24 in	1.25		
2 to 2½ ft	1.50		
$2\frac{1}{2}$ to 3 ft	2.00		
3 to 3½ ft	2.50		
— — wareana, 12'–15'	Siberia	N Arbor	VITAE
Light green, fleshy foliage. Bro	oadly pyra	amidal, rı	igged in
appearance.			
15 to 18 in	1.00	9.00	
18 to 24 in		12.50	
2 to 2½ ft			
2½ to 3 ft			
TSUGA canadensis, 75'-90'		NADA HEN	
Most graceful and adaptable,	the spre	eading ho	orizontal
branches making effective shado	w effects.	Useful a	as either
clipped hedge or informal planting			
18 to 24 in	1.50		
2 to 2½ ft	2.00		
2½ to 3 ft	2.50		
3 to 3½ ft	3.00		
caroliniana	CARO	LINA HE	MLOCK
One of our choicest native everg			
above.			
2 to 2½ ft	2.50		
2½ to 3 ft	3.00		
		**	
VIBURNUM rhytidophyllum, 6'-8'			
Large, oblong leaves, deep gree	n above,	gray ber	ieath; a
bold, handsome shrub.			
18 to 24 in	1.00		
2 to 2½ ft	1.50		
2½ to 3 ft	2.00		
YUCCA filamentosa, 2'-3'		Adams N	e e da e
Long lance-like leaves. Tall flow			
Long lance-like leaves. Tall now	er spike gi	ows up q	uickiy iii
June-July. Numerous creamy flo give tropical effect. Useful for	wers and g	епегатарі	earance
give tropical effect. Useful for	massing	with eith	er ever-
greens or shrubbery.			
l year*		.80	\$ 5.00
2 year	.15	1.30	10.00
DEDENINIATE AND	D CDA	CCTC	

PERENNIALS AND GRASSES



Two year Apples, grown at Princeton. Our fruit trees are clean, fully up to size, and true to name. We do not grow immense quantities of fruits, but have enough to supply the needs of customers who want a medium quantity to go in an assortment order. By growing them ourselves, we can stand back of them and know that we are delivering the right kind of stock.

Each Per 10 Per 100

PACHYSANDRA terminalis, 6'-8'	JAP	ANESE S	SPURGE
One of the best bedding plants	for green	effect	in shady
places.	C		•
2 inch pots	\$.20	\$1.50	\$10.00
2 yr. field grown	.20	1.50	10.00

FRUIT DEPARTMENT

Graded according to Horticultural Standards, 1923, of the American Association of Nurserymen. Caliper taken two inches above bud.

APPLES

STANDARD AND CRABS

1 in. and up7 ft. and upXX	.75	6.50	60.00
$\frac{7}{8}$ to 1 in 6 ft. and upX	.55	4.50	40.00
$\frac{11}{16}$ to $\frac{7}{8}$ in 5 ft. and up A	.45	3.50	30.00
$\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up M	.35	2.50	20.00
$\frac{7}{16}$ to $\frac{9}{16}$ in $3\frac{1}{2}$ ft. and up B	.25	1.50	10.00

SUMMER

Early Harvest Gravenstein Red Astrachan Yellow Transp.

AUTUMN

Duchess
Fall Pippin
Grimes Golden
King
Wolf River

Wolf Rive

WINTER

Baldwin Ben Davis Delicious Golden Russet Jonathan McIntosh N. W. Greening Northern Spy Rome Beauty Roxbury Russet Staymans Winesap Stark York Imperial Winter Banana

Crab Apples: Hyslop, Red Siberian, Transcendent.

DWARF APPLES

	Each	Per 10	Per 100
1 in. and up 6 ft. and up XX	\$.85	\$7.50	
3/4 to 1 in 5 ft. and up X	.70	6.00	
$\frac{5}{8}$ to $\frac{3}{4}$ in 4 ft. and up A	.50	4.00	
$\frac{1}{2}$ to $\frac{5}{8}$ in 3 ft. and up M	.40	3.00	

Dwarf Apples:—Baldwin, Delicious, Fall Pippin, Red Astrachan, R. I. Greening, Stayman Winesap, Yellow Transparent.

CHERRIES (Sour)

$\frac{11}{16}$ in. and up 4 ft. and up X	.75	6.50	\$60.00
$\frac{9}{16}$ to $\frac{11}{16}$ in $3\frac{1}{2}$ ft. and up A	.60	5.00	45.00
$\frac{7}{16}$ to $\frac{9}{16}$ in 3 ft. and up M	.45	3.50	30.00
$\frac{5}{16}$ to $\frac{7}{16}$ in $2\frac{1}{2}$ ft. and up B	.35	2.50	20.00

Sour Cherries:-Early Richmond, Montmorency.

CHERRIES (SWEET)

$\frac{11}{16}$ in. and up 5 ft. and up X	.85	7.50
$\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up A	.70	6.00
$\frac{7}{16}$ to $\frac{9}{16}$ in $3\frac{1}{2}$ and up M	.50	4.00
$\frac{5}{16}$ to $\frac{7}{16}$ in 3 ft. and B	.40	

Sweet Cherries: Black Tartarian, Downers Late Red Dykeman, Napoleon, Schmidts Biggereau.

PEACHES

1 in, and up	.50 .40 .35 .30	4.50 3.50 3.00 2.50 2.00	40.00 30.00 25.00 20.00 15.00
$\frac{5}{16}$ to $\frac{7}{16}$ in 2 ft. and up B	.20	1.50	10.00

Peaches: Belle of Georgia, Carmen, Champion, Crawford Early, Crawford Late, Elberta, Fitzgerald, Fox, Greensboro, Hale, Hiley, Iron Mountain, Krummells October, Miss Lola, Mountain Rose, Ray.

PEARS (STANDARD)

1 to $1\frac{1}{8}$ in 6 ft. and up X	.90	8.00	
$\frac{11}{16}$ to 1 in 5 ft. and up A	.60	5.00	45.00
$\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up M	.50	4.00	35.00
$\frac{7}{16}$ to $\frac{9}{16}$ in $3\frac{1}{2}$ ft. and up B	.40	3.00	25.00
Standard Poors Bartlett Clanne Fo	vorite	Duchage	Kieffer

Standard Pears: Bartlett, Clapps Favorite, Duchess, Kieffer Lawrence, Seckel, Sheldon, Vermont Beauty.

PLUMS

(ALL BUDDED ON PLUM ROOTS)


\			
$1\frac{1}{8}$ in. and up 7 ft. and up XX	.85	7.50	
1 to $1\frac{1}{8}$ in 6 ft. and up X	.70	6.00	$55\ 00$
$\frac{11}{16}$ to 1 in 5 ft. and up A	.60	5.00	45.00
$\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up M	.50	4.00	35.00

Plums:—Abundance, Bradshaw, Burbank, Fellenberg, German Prune, Imperial Green Gage, Wickson, Yellow Egg.

OUINCES

_			
$\frac{5}{8}$ in. and up3 ft. and upA	.70	6.00	55.00
$\frac{1}{2}$ to $\frac{5}{8}$ in $\frac{2}{2}$ ft. and up M	.55	4.50	40.00
$\frac{1}{2}$ to $\frac{5}{8}$ in $\frac{21}{2}$ ft. and up M $\frac{3}{8}$ to $\frac{1}{2}$ in $\frac{2}{1}$ ft. and up B	.40	3.00	25.00

Quinces:—Champion, Orange.




View of potting shed and greenhouses, taken last fall. We are now completing four more houses on the opposite side of the shed which will double our capacity on lining-out stock of evergreens.

NUTS

	Each	Per 10	Per 100
WALNUT, black			
2 to 3 ft	\$.75	\$6.50	
3 to 4 ft	1.00	9.00	
4 to 5 ft	1.25	11.50	
— English			
2 to 3 ft	1.00	9.00	
3 to 4 ft	1.50	14.00	
— Japan			
4 to 6 ft	1.00	9.00	
6 to 8 ft	1.50	14.00	
8 to 10 ft	2.00	19.00	
ASPARAGUS	,		-
ASTARAGUS	•		
1 year		.50	\$1.00
2 year		1.00	2.00

Freight and Express

A Pennsylvania Railroad siding at our packing shed enables us to make shipments to all points with minimum exposure, both carloads and less..



Location

Princeton Nurseries are located at Kingston, Middlesex Co., N. J. (three miles East of Princeton) just off the Lincoln Highway. We are halfway between New York City and Philadelphia.

PRINCETON PRODUCTS

The Standard of Excellence